

QUALUBE TWO STROKE OIL

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830.
Issue date: 11/06/2025 Version: 1.0
SDS No: 114576-0187



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : QUALUBE TWO STROKE OIL
Product code : S.105927/S.105928/S.105929/S.109911

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Lubricants and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Distributor

Sparex Limited c/o AGCO SAS
AGCO ENNERY PACKAGING CENTER
5299 RUE THOMAS EDISON (BAT. C)
57365 ENNERY
FRANCE
T +33 387724100

Sparex@gbk-ingelheim.de - www.sparex.com

E-mail address of competent person responsible for the SDS: sds@gbk-ingelheim.de

Manufacturer

Witham Group
Outer circle road
LN2 4HL Lincoln
United Kingdom
T +44 (0)1522 521192

ralph.godbold@withamgroup.co.uk - www.withamgroup.co.uk

1.4. Emergency telephone number

Emergency number : Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to GB CLP (SI 2019:720 as amended)

Hazardous to the aquatic environment – Chronic Hazard, Category 4 H413

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to GB CLP (SI 2019:720 as amended)

Hazard statements (GHS UK) : H413 - May cause long lasting harmful effects to aquatic life.
Precautionary statements (GHS UK) : P273 - Avoid release to the environment.
P501 - Dispose of contents and container to a hazardous or special waste collection point, in accordance with local, regional, national and international regulations.
EUH-statements (GHS UK) : EUH208 - Contains alkylphenol. May produce an allergic reaction.

2.3. Other hazards

Results of PBT and vPvB assessment

| Component | |
|---|--|
| Substance(s) not meeting the PBT criteria of UK REACH regulation, in accordance with Annex XIII | Petroleum distillates, hydrotreated light (64742-47-8), alkylphenol (1190625-94-5), Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) |

QUALUBE TWO STROKE OIL

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830.
SDS No: 114576-0187

| Component | |
|--|--|
| Substance(s) not meeting the vPvB criteria of UK REACH regulation, in accordance with Annex XIII | Petroleum distillates, hydrotreated light (64742-47-8), alkylphenol (1190625-94-5), Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) |

Results of Endocrine Disruptor assessment

| Component | |
|---|---|
| Substance(s) not considered as endocrine disrupting. They are not included in the list established in accordance with Article 59(1) of UK REACH for having endocrine disrupting properties, nor identified as having endocrine disrupting properties in accordance with the criteria set out in GB BPR and GB PPP | Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic(64742-54-7), Petroleum distillates, hydrotreated light(64742-47-8), alkylphenol(1190625-94-5) |

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to GB CLP (SI 2019:720 as amended) |
|--|--|-------------|---|
| Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic substance with workplace exposure limit(s) | CAS-No.: 64742-54-7 EC-No.: 265-157-1 | ≥ 40 – < 55 | Not classified |
| Petroleum distillates, hydrotreated light | CAS-No.: 64742-47-8 EC-No.: 265-149-8 | ≥ 20 – < 35 | Flam. Liq. 3, H226 Asp. Tox. 1, H304 |
| alkylphenol | CAS-No.: 1190625-94-5 EC-No.: 931-468-2 | < 1 | Skin Sens. 1B, H317 STOT RE 2, H373 |

Comments :

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|--|
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Wash skin with plenty of water. |
| First-aid measures after eye contact | : Rinse eyes with water as a precaution. |
| First-aid measures after ingestion | : Call a poison center or a doctor if you feel unwell. |

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

QUALUBE TWO STROKE OIL

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830.
SDS No: 114576-0187

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. Contain the extinguishing fluids by bunding. Do not allow run-off from fire fighting to enter drains or water courses.
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.
Absorb spillage to prevent material damage.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.
Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment. Do not allow to enter drains or water courses.

6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
Methods for cleaning up : Take up liquid spill into absorbent material.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.
Storage conditions : Keep cool. Protect from sunlight.
Information on mixed storage : Keep away from food, drink and animal feeding stuffs.
Packaging materials : Store always product in container of same material as original container.

QUALUBE TWO STROKE OIL

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830.
SDS No: 114576-0187

7.3. Specific end use(s)

See Section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | |
|--|---|
| United Kingdom - Occupational Exposure Limits | |
| Local name | MMMMF (Machine-made mineral fibre) |
| WEL TWA (OEL TWA) | 5 mg/m ³ (except for refractory ceramic fibres and special purpose fibres) |
| | 2 fibers/mL (except for refractory ceramic fibres and special purpose fibres) |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment.

8.2.2.1. Eye and face protection

Eye protection:

Protective goggles (EN 166)

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Please follow the instructions related to the permeability and the penetration time provided by the manufacturer. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

QUALUBE TWO STROKE OIL

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830.
SDS No: 114576-0187

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|--------------------------------|
| Physical state | : Liquid |
| Appearance | : Viscous. |
| Colour | : red. |
| Odour | : Not available |
| Odour threshold | : Not available |
| pH | : Not available |
| Melting point | : -21 °C |
| Freezing point | : Not available |
| Boiling point | : Not available |
| Flash point | : > 200 °C |
| Explosive limits | : Not available |
| Vapour pressure | : < 0.1 kPa (20°C) |
| Vapour pressure at 50°C | : Not available |
| Relative vapour density at 20°C | : Not available |
| Relative density | : 0.871 (15.6°C) |
| Density | : Not available |
| Solubility | : Not available |
| Partition coefficient n-octanol/water (Log Kow) | : > 7 |
| Auto-ignition temperature | : Not available |
| Decomposition temperature | : Not available |
| Viscosity, kinematic | : 51 mm ² /s (40°C) |
| Explosive properties | : Not available |

9.2. Other information

Particle characteristics : Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

QUALUBE TWO STROKE OIL

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830.
SDS No: 114576-0187

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

| Petroleum distillates, hydrotreated light (64742-47-8) | |
|---|---------------|
| LD50 oral rat | > 5000 mg/kg |
| LD50 dermal rabbit | > 2000 mg/kg |
| LC50 Inhalation - Rat | > 5.2 mg/l/4h |

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)
Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met)
Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)

| Petroleum distillates, hydrotreated light (64742-47-8) | |
|---|---|
| NOAEL (animal/male, F0/P) | ≥ 3000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 415 [One-Generation Reproduction Toxicity Study (before 9 October 2017)] |

STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

| Petroleum distillates, hydrotreated light (64742-47-8) | |
|---|---|
| NOAEL (oral, rat, 90 days) | 750 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) |
| NOAEL (dermal, rat/rabbit, 90 days) | ≥ 495 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) |

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

Other information

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic) : May cause long lasting harmful effects to aquatic life.

| Petroleum distillates, hydrotreated light (64742-47-8) | |
|---|---|
| LC50 fish 1 | 45 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) |
| LC50 - Fish [2] | 2.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) |

12.2. Persistence and degradability

| QUALUBE TWO STROKE OIL | |
|-------------------------------|--------------------|
| Persistence and degradability | Rapidly degradable |

QUALUBE TWO STROKE OIL

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830.
SDS No: 114576-0187

| Petroleum distillates, hydrotreated light (64742-47-8) | |
|---|--------------------|
| Persistence and degradability | Rapidly degradable |
| alkylphenol (1190625-94-5) | |
| Persistence and degradability | Rapidly degradable |
| Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | |
| Persistence and degradability | Rapidly degradable |

12.3. Bioaccumulative potential

| QUALUBE TWO STROKE OIL | |
|---|----------|
| Partition coefficient n-octanol/water (Log Kow) | > 7 |
| Petroleum distillates, hydrotreated light (64742-47-8) | |
| BCF - Fish [1] | 61 – 159 |

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

| Component | |
|--|---|
| Petroleum distillates, hydrotreated light (64742-47-8) | This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII |
| alkylphenol (1190625-94-5) | This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII |
| Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII |

12.6. Other adverse effects

Ozone : Not classified (Based on available data, the classification criteria are not met)

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations : Packaging that is not properly emptied must be disposed of as the unused product.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|--------------------------------------|---------------|---------------|---------------|---------------|
| 14.1. UN number | | | | |
| Not regulated for transport | | | | |
| 14.2. UN proper shipping name | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |

QUALUBE TWO STROKE OIL

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830.
SDS No: 114576-0187

| ADR | IMDG | IATA | ADN | RID |
|---|---------------|---------------|---------------|---------------|
| 14.3. Transport hazard class(es) | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.4. Packing group | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| 14.5. Environmental hazards | | | | |
| Not regulated | Not regulated | Not regulated | Not regulated | Not regulated |
| No supplementary information available | | | | |

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. National regulations

UK REACH Annex XVII (Restriction List)

This product contains no substance(s) listed on UK REACH Annex XVII (Restriction List) equal to or above the level of SDS disclosure

UK REACH Annex XIV (Authorisation List)

This product contains no substance(s) listed on UK REACH Annex XIV (Authorisation List) equal to or above the 0.1% level of disclosure

UK REACH Candidate List (SVHC)

This product contains no substance(s) listed on the UK REACH Candidate List (SVHC) above the 0.1% level of disclosure

GB PIC regulation (Prior Informed Consent)

This product contains no substance(s) listed on the GB PIC List equal to or above the level of SDS disclosure

POP Regulation (Persistent Organic Pollutants)

This product contains no substance(s) listed on the GB POP List equal to or above the level of SDS disclosure

Ozone Regulation (S.I. No. 168 of 2015)

This product contains no substance(s) listed on the GB Ozone Depletion List equal to or above the level of SDS disclosure

Control of Poisons and Explosives Precursors Act

This product contains no substance(s) listed as a reportable poison on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

QUALUBE TWO STROKE OIL

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830.
SDS No: 114576-0187

This product contains no substance(s) listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This product contains no substance(s) listed as a reportable explosive precursor on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This substance is not listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations

Drug Precursors Regulation (EC 273/2004)

This product contains no substance(s) listed on the GB Drug Precursors List equal to or above the level of SDS disclosure

15.1.2. Other Information

British National Regulations

- : - Statutory Instrument 2019 No. 758 - The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019
- Statutory Instrument 2019 No. 858 - The REACH etc. (Amendment etc.) (EU Exit) (No. 2) Regulations 2019
- Statutory Instrument 2019 No. 1144 - The REACH etc. (Amendment etc.) (EU Exit) (No. 3) Regulations 2019
- Statutory Instrument 2020 No. 1577 - The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020
- Statutory Instrument 2021 No. 904 - The REACH etc. (Amendment) Regulations 2021

- Statutory Instrument 2019 No. 720 – The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019
- Statutory Instrument 2020 No. 1567 – The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU exit) Regulations 2020
- Statutory Instrument 2022 No. 1037 – The Chemicals (Health and Safety) Trade and Miscellaneous Amendments Regulations 2022.

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

| Abbreviations and acronyms: | |
|-----------------------------|---|
| ACGIH | American Conference of Government Industrial Hygienists |
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| OEL | Occupational Exposure Limit |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| BLV | Biological limit value |
| BOD | Biochemical oxygen demand (BOD) |
| CAS-No. | Chemical Abstract Service number |
| CLP | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 |
| COD | Chemical oxygen demand (COD) |
| CSA | Chemical safety assessment |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |
| EC-No. | European Community number |
| EC50 | Median effective concentration |
| ED | Endocrine disruptor |

QUALUBE TWO STROKE OIL

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830.
SDS No: 114576-0187

| Abbreviations and acronyms: | |
|------------------------------------|---|
| EN | European Standard |
| EWC | European waste catalogue |
| IARC | International Agency for Research on Cancer |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| LOAEL | Lowest Observed Adverse Effect Level |
| Log Kow | Partition coefficient n-octanol/water (Log Kow) |
| Log Pow | Partition coefficient n-octanol/water (Log Pow) |
| MAK | maximum workplace concentration |
| N.O.S. | Not Otherwise Specified |
| NOAEC | No-Observed Adverse Effect Concentration |
| NOAEL | No-Observed Adverse Effect Level |
| NOEC | No-Observed Effect Concentration |
| OECD | Organisation for Economic Co-operation and Development |
| OSHA | Occupational Safety & Health Administration |
| PBT | Persistent Bioaccumulative Toxic |
| PNEC | Predicted No-Effect Concentration |
| PPE | Personal protection equipment |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS | Safety Data Sheet |
| STP | Sewage treatment plant |
| TF | Technical function |
| ThOD | Theoretical oxygen demand (ThOD) |
| TLM | Median Tolerance Limit |
| TWA | Time Weighted Average |
| UFI | Unique Formula Identifier |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and Very Bioaccumulative |
| ADG | Transport of Australian Dangerous Goods |
| DOT | Department of Transport |
| GHS | Globally Harmonized System of Classification, Labelling and Packaging of Chemicals |
| IBC-Code | International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk |
| MARPOL 73/78 | MARPOL 73/78: International Convention for the Prevention of Pollution From Ships |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 |
| TDG | Transportation of Dangerous Goods |

QUALUBE TWO STROKE OIL

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2015/830.
SDS No: 114576-0187

Other information : Data of sections 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities. The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. The delivery specifications are contained in the corresponding product sheet. This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

| Full text of H- and EUH-statements: | |
|-------------------------------------|--|
| Aquatic Chronic 4 | Hazardous to the aquatic environment – Chronic Hazard, Category 4 |
| Asp. Tox. 1 | Aspiration hazard, Category 1 |
| Flam. Liq. 3 | Flammable liquids, Category 3 |
| Skin Sens. 1B | Skin sensitisation, category 1B |
| STOT RE 2 | Specific target organ toxicity – Repeated exposure, Category 2 |
| H226 | Flammable liquid and vapour. |
| H304 | May be fatal if swallowed and enters airways. |
| H317 | May cause an allergic skin reaction. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H413 | May cause long lasting harmful effects to aquatic life. |
| EUH208 | Contains alkylphenol. May produce an allergic reaction. |

| Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]: | | |
|---|------|------------------|
| Aquatic Chronic 4 | H413 | Expert judgement |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.