

# Contact Sheet



## Europe

 **Austria**  
Tel: + 43 4212 6400  
Sparex Austria  
Muraunberger Str  
Hurzendorf 9300

 **Belgium / Lux**  
Tel: + 32 58235140  
Sparex Belgium Bvba  
Toevluchtweg 9  
B- 8620 Nieuwpoort

 **Denmark**  
Tel: + 45 647 22287  
Sparex Denmark  
Sparex Limited ApS  
Messevej 1  
9600 Aars

 **France**  
Tel: +33 2987 89234  
Sparex S.A.R.L.  
Zae De Ty Douar  
Commana 29450

 **Germany**  
Tel: + 49 4282 93100  
Sparex Germany  
Hansestrasse 03  
Sittensen 27419

 **Ireland**  
Tel: +353 51 855592  
Sparex (Tractor Accessories) Ltd  
Grannagh  
Waterford  
Ireland

 **Italy**  
Tel: + 43 4212 6400  
Sparex Austria  
Muraunberger Str  
Hurzendorf 9300

 **Netherlands**  
Tel: + 31 235 841 020  
Sparex Holland BV  
Luzernstraat 19N  
2153 GM Nieuw-Vennep

 **Poland**  
Tel: +48 61 816 19 37  
61-168 ul. Rataje 164, Poznań

 **Portugal**  
Tel: +351 261 311107  
Sparex Portugal, Importação  
e Comércio de Peças,Lda.  
Lugar da Espera 2565-716 Runa.

 **Spain**  
Tel: + 349 451 33524  
Sparex Agrirepuestos,S.L. C/Jose Maria  
Iparraguirre  
No.15 B  
01006 Vitoria-Gasteiz (Alava)

 **UK**  
Tel: +44 1392 441338  
Sparex Limited  
Exeter Airport Devon  
Exeter EX5 2LJ

## North America

 **Canada**  
Tel: + 905 786 277  
Sparex Canada Highway  
No. 2 On Newcastle L1b 119

 **USA**  
Tel: + 1 330 562 8150  
Sparex US  
PO Box 510  
Aurora, OH 44202

## Africa

 **South Africa**  
Cape - Tel: +27 00 21 887 3575  
KZN - Tel: + 27 31 573 1240  
Cape branch  
35 George Blake St,  
Plankenburg  
Stellenbosch 7600  
KZN branch  
59 Marseilles crescent  
Briardene  
Durban 4001


## Australasia

 **Australia**  
Tel: + 61 298 205 777  
Sparex Australia Pty Ltd  
81-83 Strzelecki Avenue,  
Sunshine West, VIC 3020

 **New Zealand**  
Tel: + 64 9634 4121  
4 Princes Street Onehunga,  
Auckland 1345

## Sparex Export Markets

 **Export**  
Tel: +44 1392 441314  
Sparex Limited  
Exeter Airport  
Devon Exeter EX5 2LJ



## SAFETY DATA SHEET PROLAN ENDURO MEDIUM GRADE

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name                      PROLAN ENDURO MEDIUM GRADE  
Product number                    PEMG

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses                    Grease.

#### 1.3. Details of the supplier of the safety data sheet

Supplier  
  
   WITHAM OIL AND PAINT LTD  
   OUTER CIRCLE ROAD  
   LINCOLN  
   LN2 4HL  
   01522 521192  
   01522 537030  
   01522 560228  
   enquires@withamgroup.co.uk

#### 1.4. Emergency telephone number

Emergency telephone            (01522) 521192 Monday to Thursday 8.00am to 5.00pm, Friday 8.00am to 4.30pm.

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (EC 1272/2008)

Physical hazards                    Not Classified  
Health hazards                      Asp. Tox. 1 - H304  
Environmental hazards            Not Classified

Classification (67/548/EEC or -  
1999/45/EC)

#### 2.2. Label elements

##### Pictogram



Signal word                            Danger  
Hazard statements                    H304 May be fatal if swallowed and enters airways.

## PROLAN ENDURO MEDIUM GRADE

**Precautionary statements** P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
 P331 Do NOT induce vomiting.  
 P405 Store locked up.  
 P501 Dispose of contents/ container in accordance with national regulations.

**Contains** DISTILLATES (PETROLEUM), HYDROTREATED LIGHT; KEROSENE - UNSPECIFIED

### 2.3. Other hazards

No significant hazards. Material does not meet the criteria for PBT or vPvB in accordance with REACH annex XIII.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

<b>DISTILLATES (PETROLEUM), HYDROTREATED LIGHT; KEROSENE - UNSPECIFIED</b>	<b>60-100%</b>
CAS number: 64742-47-8	EC number: 265-149-8
<b>Classification</b> Asp. Tox. 1 - H304	<b>Classification (67/548/EEC or 1999/45/EC)</b> Xn;R65
<b>LANOLIN</b>	<b>30-60%</b>
CAS number: 8006-54-0	EC number: 232-348-6
<b>Classification</b> Not Classified	
<b>NON CLASSIFIED COMPONENT</b>	<b>1-5%</b>
CAS number: —	
<b>Classification</b> Not Classified	<b>Classification (67/548/EEC or 1999/45/EC)</b> -

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

**Composition comments** The data shown are in accordance with the latest EC Directives.

**Ingredient notes** Reach-Art.57-59: The mixture does not contain Substances of Very High Concern (SVHC) at the SDS print date.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

**General information** Remove affected person from source of contamination.

**Inhalation** Remove affected person from source of contamination. Provide rest, warmth and fresh air. If respiratory irritation, dizziness, nausea, or unconsciousness occurs, seek immediate medical assistance.

**Ingestion** If spontaneous vomiting appears imminent or occurs, hold patient's head down, lower than their hips to help avoid possible aspiration of vomitus. If swallowed, do not induce vomiting. Observe patient carefully. Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with water. Provide water slowly and as much as casualty can comfortably drink. Seek medical attention. Avoid giving milk, oils or alcohol.

## PROLAN ENDURO MEDIUM GRADE

<b>Skin contact</b>	Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water. Get medical attention if irritation persists after washing.
<b>Eye contact</b>	Wash out immediately with water. If irritation continues, seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

### 4.2. Most important symptoms and effects, both acute and delayed

<b>General information</b>	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
<b>Inhalation</b>	No adverse effects known.
<b>Ingestion</b>	Harmful: May cause lung damage if swallowed. Nausea and stomach pain may occur.
<b>Skin contact</b>	Prolonged contact may cause redness, irritation and dry skin.
<b>Eye contact</b>	There may be irritation and redness.

### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	If ingested, material may be aspirated into the lungs and cause chemical pneumonitis. Treat appropriately.
-----------------------------	--

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.

### 5.2. Special hazards arising from the substance or mixture

<b>Specific hazards</b>	Toxic gases/vapours/fumes of: Carbon monoxide (CO). Carbon dioxide (CO <sub>2</sub> ). Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours.
<b>Hazardous combustion products</b>	Fire creates: Thermal decomposition or combustion products may include the following substances: Acrid smoke or fumes. Aldehydes, Sulphur oxides, Incomplete combustion products, Carbon monoxide (CO). Carbon dioxide (CO <sub>2</sub> ).

### 5.3. Advice for firefighters

<b>Protective actions during firefighting</b>	Evacuate area. Control run-off water by containing and keeping it out of sewers and watercourses.
<b>Special protective equipment for firefighters</b>	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Wear protective clothing as described in Section 8 of this safety data sheet.
-----------------------------	---

### 6.2. Environmental precautions

<b>Environmental precautions</b>	This product is made up of a mixture of biodegradable products and a light hydrotreated distillate. It is considered unlikely to be toxic to the aquatic environment. The directions for use are as follows: After application of the product allow the carrier to evaporate this leaves behind a coating of lanolin which is biodegradable- and the GHS classification becomes non-hazardous. Therefore items should not present an aquatic hazard once the product as dried.
----------------------------------	--

## PROLAN ENDURO MEDIUM GRADE

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Absorb spillage with non-combustible, absorbent material. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Spillages or uncontrolled discharges into watercourses must be reported immediately to the environmental agency or other appropriate body.

### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. For waste disposal, see section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Wear suitable protective equipment for prolonged exposure and/or high concentrations of vapours, spray or mist.

**Advice on general occupational hygiene** Do not eat, drink or smoke when using this product. Wash promptly with soap and water if skin becomes contaminated. Good personal hygiene procedures should be implemented. Promptly remove any clothing that becomes contaminated.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a dry and cool place. Suitable container materials: Carbon steel. Mild steel. Protect against physical damage and/or friction.

**Storage class** Unspecified storage.

### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

**Usage description** AVOID CONTACT WITH SKIN AND EYES.

## SECTION 8: Exposure Controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

Long-term exposure limit (8-hour TWA): WEL 5 mg/m<sup>3</sup> mist

Short-term exposure limit (15-minute): WEL 10 mg/m<sup>3</sup> mist

WEL = Workplace Exposure Limit

**DNEL** No DNEL available

**PNEC** No PNEC available.

### 8.2. Exposure controls

#### Protective equipment



**Appropriate engineering controls** Provide adequate general and local exhaust ventilation. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures.

**Eye/face protection** Wear chemical splash goggles. Tight-fitting safety glasses.

**Hand protection** Wear protective gloves made of the following material: Nitrile rubber. Polyvinyl chloride (PVC).

**Other skin and body protection** Wear safety footwear.

## PROLAN ENDURO MEDIUM GRADE

<b>Hygiene measures</b>	Remove contaminated clothing and wash the skin thoroughly with soap and water after work. Discard contaminated shoes and clothing. Do not eat, drink or smoke when using this product.
<b>Respiratory protection</b>	Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit. Wear a respirator fitted with the following cartridge: Gas filter, type A2. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140.
<b>Environmental exposure controls</b>	Comply with applicable environmental regulations limiting discharge to air, water and soil. Protect the environment by applying appropriate control measures to prevent or limit emissions.

### SECTION 9: Physical and Chemical Properties

#### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Coloured liquid.
<b>Colour</b>	Light brown.
<b>Odour</b>	Characteristic wool fleece odour.
<b>pH</b>	Not applicable.
<b>Initial boiling point and range</b>	187-216°C
<b>Evaporation rate</b>	0.03 (butyl acetate = 1)
<b>Vapour pressure</b>	0.05 kPa @ 20°C
<b>Vapour density</b>	5.3
<b>Relative density</b>	0.81-0.83
<b>Solubility(ies)</b>	Immiscible with water.
<b>Auto-ignition temperature</b>	>200°C
<b>Viscosity</b>	5.1 cSt @ 40°C

#### 9.2. Other information

<b>Other information</b>	None.
--------------------------	-------

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

<b>Reactivity</b>	See sub sections below.
-------------------	-------------------------

#### 10.2. Chemical stability

<b>Stability</b>	Stable at normal ambient temperatures and when used as recommended.
------------------	---

#### 10.3. Possibility of hazardous reactions

<b>Possibility of hazardous reactions</b>	Will not polymerise.
---	----------------------

#### 10.4. Conditions to avoid

<b>Conditions to avoid</b>	Avoid storing above the recommended handling and storage temperatures.
----------------------------	--

#### 10.5. Incompatible materials

<b>Materials to avoid</b>	Segregate from alkalis, oxidising agents and chemicals readily decomposed by acids ie. cyanides, sulphides, carbonates. Avoid reaction with oxidising agents, ie nitrates, oxidising acids, chlorine bleaches, pool chlorine etc as ignition may result.
---------------------------	--

## PROLAN ENDURO MEDIUM GRADE

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Combustion will generate: smoke, carbon dioxide and carbon monoxide. Other pyrolysis products typical of burning organic material; May emit poisonous fumes. May emit corrosive fumes.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

##### Skin corrosion/irritation

**Skin corrosion/irritation** Not classified.

##### Serious eye damage/irritation

**Serious eye damage/irritation** No specific test data are available.

##### Respiratory sensitisation

**Respiratory sensitisation** Not applicable.

##### Skin sensitisation

**Skin sensitisation** Not sensitising.

##### Germ cell mutagenicity

**Genotoxicity - in vitro** Data lacking.

##### Carcinogenicity

**Carcinogenicity** Not classified.

##### Reproductive toxicity

**Reproductive toxicity - fertility** No specific test data are available.

**Reproductive toxicity - development** Not given.

##### Aspiration hazard

**Aspiration hazard** May be fatal if swallowed and enters airways.

##### **Inhalation**

The material is not thought to produce adverse health effects or irritation of the respiratory tract ( as classified by EC Directives using animal models). Nevertheless, Good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.

##### **Ingestion**

The material has NOT been classified by EC Directives or other classifications systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. Central nervous system (CNS) depression may include general discomfort, symptoms of giddiness, headache, dizziness, anaesthetic effects, slowed reaction time, slurred speech and may progress to unconsciousness. Serious poisonings may result in respiratory depression and may be fatal.

##### **Skin contact**

This material can cause inflammation of the skin on contact in some persons. The material may accentuate ant pre-existing dermatitis condition. The liquid may be miscible with fats or oils and may degrease the skin, producing a skin reaction described as non-allergic contact dermatitis. The material is unlikely to produce an irritant dermatitis as described in EC Directives.

##### **Eye contact**

Although the material is not thought to be an irritant( as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness( as with windburn).

## PROLAN ENDURO MEDIUM GRADE

### SECTION 12: Ecological Information

#### 12.1. Toxicity

**Toxicity** No data available. This product is made up of a mixture of biodegradable products and a light hydrotreated distillate. It is considered unlikely to be toxic to an aquatic environment. The directions for use are as follows: After application of product allow the carrier to evaporate this leaves behind a coating of lanolin which is biodegradable- and the GHS classification becomes non-hazardous. Therefore items should not present an aquatic hazard once the product has dried.

#### 12.2. Persistence and degradability

**Persistence and degradability** No data available.

#### 12.3. Bioaccumulative potential

**Bioaccumulative potential** Distillates petroleum hydrotreated light LOW BCF=159

#### 12.4. Mobility in soil

**Mobility** No data available

#### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** No data available

#### 12.6. Other adverse effects

**Other adverse effects** None known. No data available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

**General information** Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Empty containers must not be punctured or incinerated because of the risk of an explosion.

### SECTION 14: Transport information

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

#### 14.1. UN number

Not classified as dangerous goods for transport.

#### 14.2. UN proper shipping name

Not applicable.

#### 14.3. Transport hazard class(es)

Not applicable.

#### 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards



## PROLAN ENDURO MEDIUM GRADE

Environmentally hazardous substance/marine pollutant

No.

### 14.6. Special precautions for user

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not determined

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

EH40/2005 Workplace exposure limits.  
Health and Safety at Work etc. Act 1974 (as amended).  
Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

#### EU legislation

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## SECTION 16: Other information

Issued by	Technical manager
Revision date	07/02/2017
SDS number	20772
Hazard statements in full	H304 May be fatal if swallowed and enters airways.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.