# **Contact Sheet**



# Europe



Austria

Tel: +43 4212 6400 Sparex Austria Muraunberger Str Hurzendorf 9300



France

Tel: +33 2987 89234 Sparex S.A.R.L. Zae De Ty Douar Commana 29450





Italy

Tel: + 43 4212 6400 Sparex Austria Muraunberger Str Hurzendorf 9300



Portugal

Tel: +351 261 311107 Sparex Portugal, Importação e Comércio de Peças,Lda. Lugar da Espera 2565-716 Runa.



Belgium / Lux

Tel: + 32 58235140 Sparex Belgium Bvba Toevluchtweg 9 B-8620 Nieuwpoort



Germany

Tel: + 49 4282 93100 Sparex Germany Hansestrasse 03 Sittensen 27419



Netherlands

Tel: + 31 235 841 020 Sparex Holland BV Luzernestraat 19N 2153 GM Nieuw-Vennep



Spain

Tel: + 349 451 33524 Sparex Agrirepuestos, S.L. C/Jose Maria Iparraguirre No.15 B 01006 Vitoria-Gasteiz (Alava)





Denmark

Tel: + 45 647 22287 Sparex Denmark Sparex Limited ApS Messevej 1 9600 Aars





Ireland

Tel: +353 51 855592 Sparex (Tractor Accessories) Ltd Grannagh Waterford Ireland



Poland

Tel: +48 61 816 19 37 61-168 ul. Rataje 164, Poznań



Tel: +44 1392 441338 Sparex Limited **Exeter Airport Devon** Exeter EX5 2LJ

# **North America**



Canada

Tel: + 905 786 277 Sparex Canada Highway No. 2 On Newcastle L1b 119



USA

Tel: + 1 330 562 8150 Sparex US PO Box 510 Aurora, OH 44202

# **Africa**



South Africa

Cape - Tel: +27 00 21 887 3575 . KZN - Tel: + 27 31 573 1240 Cape branch

35 George Blake St, Plankenburg Stellenbosch 7600

KZN branch 59 Marseilles crescent Briardene Durban 4001

# Australasia



Australia

Tel: + 61 298 205 777 Sparex Australia Pty Ltd 81-83 Strzelecki Avenue, Sunshine West, VIC 3020



New Zealand

Tel: + 64 9634 4121 4 Princes Street Onehunga, Auckland 1345

# **Sparex Export Markets**



Export

Tel: +44 1392 441314 Sparex Limited **Exeter Airport** Devon Exeter EX5 2LJ



### SAFETY DATA SHEET B574

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name B574

Container size 50ml,65ml,250ml

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Adhesive.

1.3. Details of the supplier of the safety data sheet

Supplier Bondloc UK Ltd

Unit 2 Bewdley Business Park

Long Bank Bewdley Worcestershire DY12 2TZ

+44 (0)1299 269269 +44 (0)1299 269210 sales@bondloc.co.uk

1.4. Emergency telephone number

**Emergency telephone** +44 (0)1299 269269

### SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 STOT SE 3 - H335 STOT SE 3 -

H335 STOT SE 3 - H335

Environmental hazards Not Classified

2.2. Label elements

Pictogram



Signal word Warning

Hazard statements H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

### **B574**

Precautionary statements

P261 Avoid breathing vapour/spray.

P264 Wash contaminated skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.
P312 Call a POISON CENTER/doctor if you feel unwell.
P321 Specific treatment (see medical advice on this label).
P332+P313 If skin irritation occurs: Get medical advice/attention.
P333+P313 If skin irritation presists: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with national regulations.

**Contains** 

 $Ethoxylated\ Bisphenol\ A\ Dimethacrylate,\ 2-hydroxypropyl\ methacrylate,\ \alpha,\alpha-dimethylbenzyl$ 

hydroperoxide, 1-Acetyl-2-phenylhydrazine

### 2.3. Other hazards

### SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

### **Ethoxylated Bisphenol A Dimethacrylate**

30-60%

CAS number: 41637-38-1

### Classification

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 STOT SE 3 - H335 STOT SE 3 - H335 STOT SE 3 - H335

### Polyethylene Glycol 200 Dimethacrylate

10-30%

CAS number: 26570-48-9

### Classification

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319

### 2-hydroxypropyl methacrylate

10-30%

CAS number: 923-26-2 EC number: 213-090-3

### Classification

Eye Irrit. 2 - H319 Skin Sens. 1 - H317

Aquatic Chronic 2 - H411

### **B574**

# α,α-dimethylbenzyl hydroperoxide 1-5% CAS number: 80-15-9 EC number: 201-254-7 Classification Org. Perox. E - H242 STOT SE 3 - H335 Acute Tox. 3 - H331 Acute Tox. 4 - H312 Skin Corr. 1B - H314 STOT RE 2 - H373 Acute Tox. 4 - H302 STOT SE 3 - H335 Eye Dam. 1 - H318 STOT SE 3 - H335

# 1-Acetyl-2-phenylhydrazine CAS number: 114-83-0 Classification Acute Tox. 3 - H301 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 STOT SE 3 - H335 STOT SE 3 - H335 STOT SE 3 - H335

Titanium Dioxide	<1%	
CAS number: 13463-67-7		
Classification Not Classified		

The full text for all hazard statements is displayed in Section 16.

### SECTION 4: First aid measures

### 4.1. Description of first aid measures

**Inhalation** Move affected person to fresh air at once. Get medical attention if any discomfort continues.

**Ingestion** Rinse mouth thoroughly with water. Give plenty of water to drink. Do not induce vomiting. Get

medical attention.

**Skin contact** Wash skin thoroughly with soap and water. Get medical attention.

Eye contact Rinse immediately with plenty of water. Continue to rinse for at least 10 minutes. Get medical

attention if symptoms are severe or persist.

### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact May cause sensitisation by skin contact.

Eye contact Irritating. Conjunctivitis, irritation, tearing.

### **B574**

### 4.3. Indication of any immediate medical attention and special treatment needed

### SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media Extinguish with foam, carbon dioxide or dry powder.

### 5.2. Special hazards arising from the substance or mixture

Hazardous combustion

products

Oxides of carbon. Oxides of nitrogen. Irritating gases or vapours. Oxides of sulphur.

### 5.3. Advice for firefighters

Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin and eyes. Provide adequate ventilation.

### 6.2. Environmental precautions

**Environmental precautions** Avoid discharge into drains or watercourses or onto the ground.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Small Spillages: Wipe up with paper towels and place in container for disposal. Large

Spillages: Absorb spillage with sand or other inert absorbent. Collect and place in suitable

waste disposal containers and seal securely.

### 6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

### SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Use only in well-ventilated areas. Do not eat, drink or smoke when using this product. Wash

hands and any other contaminated areas of the body with soap and water before leaving the

work site.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store at temperatures between 8°C and 21°C. Keep only in the original container.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

### SECTION 8: Exposure Controls/personal protection

### 8.1. Control parameters

### Occupational exposure limits

### **Titanium Dioxide**

Long-term exposure limit (8-hour TWA): WEL 4 mg/m³ respirable dust Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ inhalable dust

WEL = Workplace Exposure Limit

### 8.2. Exposure controls

### **B574**

**Eye/face protection** Wear eye protection.

Hand protection Wear protective gloves made of the following material: Nitrile rubber.

**Respiratory protection** If ventilation is inadequate, suitable respiratory protection must be worn.

### **SECTION 9: Physical and Chemical Properties**

### 9.1. Information on basic physical and chemical properties

Appearance Paste.

Colour Orange.

Odour Mild.

Odour threshold Not available.

**pH** Not available.

Melting point Not available.

Initial boiling point and range >150°C @

Flash point > 100°C

**Evaporation rate** Not applicable.

Upper/lower flammability or

explosive limits

Not available.

Vapour pressure Not available.

Vapour density Not available.

Solubility(ies) Slightly soluble in water.

Partition coefficient Not available.

Auto-ignition temperature Not available.

Decomposition Temperature Not available.

Viscosity 50000

Explosive properties Not available.

Oxidising properties Not available.

9.2. Other information

Other information None.

### SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactivity Strong acids. Strong oxidants

10.2. Chemical stability

Stable at normal ambient temperatures and when used as recommended.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

The following materials may react with the product: Strong acids. Strong oxidants

### 10.4. Conditions to avoid

### **B574**

**Conditions to avoid** There are no known conditions that are likely to result in a hazardous situation.

10.5. Incompatible materials

Materials to avoid None known.

10.6. Hazardous decomposition products

Hazardous decomposition

Irritating organic vapours

products

### SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

**Toxicological effects** No information available.

Acute toxicity - oral

**ATE oral (mg/kg)** 26,084.49278469

Acute toxicity - dermal

**ATE dermal (mg/kg)** 110,000.0

Acute toxicity - inhalation

ATE inhalation (vapours mg/l) 300.0

**Inhalation** May cause respiratory system irritation.

**Ingestion** The product is considered to be a low hazard under normal conditions of use.

**Skin contact** May cause sensitisation by skin contact.

**Eye contact** Irritating to eyes.

### SECTION 12: Ecological Information

**Ecotoxicity** There are no data on the ecotoxicity of this product.

12.1. Toxicity

**Toxicity** Low

### 12.2. Persistence and degradability

Persistence and degradability 
There are no data on the degradability of this product.

### 12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not available.

12.4. Mobility in soil

Mobility Not considered mobile.

### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

assessment

### 12.6. Other adverse effects

Other adverse effects Not available.

### SECTION 13: Disposal considerations

### **B574**

### 13.1. Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations

Disposal methods Dispose of waste product or used containers in accordance with local regulations

Waste class 08 04 09 waste adhesives and sealants containing organic solvents or other dangerous

substances.

### SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

### 14.1. UN number

Not applicable.

### 14.2. UN proper shipping name

Not applicable.

### 14.3. Transport hazard class(es)

No transport warning sign required.

### 14.4. Packing group

Not applicable.

### 14.5. Environmental hazards

### Environmentally hazardous substance/marine pollutant

### 14.6. Special precautions for user

Not applicable.

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

### SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU** legislation Regulation (EC) No 1907/2006 of the European Parliament and of the council of 18 December

2006 concerning the Registration, evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC,

93/105/EC, including amendments. Regulation (EC) No 1272/2008 of the European

Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC,

and amending Regulation (EC) No 1907/2006 with amendments.

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

### SECTION 16: Other information

### **B574**

Revision date 12/11/2014

SDS number 4608

Hazard statements in full H242 Heating may cause a fire.

H301 Toxic if swallowed. H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

PRECAUTIONS: This product and the auxiliary materials normally combined with it are capable of producing adverse health effects ranging from minor skin irritation to serious systemic effects. None of these materials should be used, stored, or transported until the handling precautions and recommendations as stated in the Material Safety Data Sheets (MSDS) for this and all other products being used are understood by all persons who will work with the product.

WARRANTY: All products purchased from or supplied by Bondloc are subject to terms and conditions set out in the contract. Bondloc warrants only that its product will meet those specifications designated as such herein or in other publications. All other information supplied by Bondloc is consider accurate but are furnished upon the express condition the customer shall make its own assessment to determine the product's suitability for a particular purpose. Bondloc makes no other warranty, either express or implied, including those regarding such other information, the data upon which the same is based, or the results to be obtained from the use thereof; that any product shall be merchantable or fit for any particular purpose; or that the use of such other information or product will not infringe any patent.