# **Contact Sheet**



## **Europe**

Austria Tel: + 43 4212 6400 Sparex Austria Muraunberger Str Hurzendorf 9300



## Italy

Tel: + 43 4212 6400 Sparex Austria Muraunberger Str Hurzendorf 9300



Portugal

Tel: +351 261 311107 Sparex Portugal, Importação e Comércio de Peças,Lda. Lugar da Espera 2565-716 Runa.



Belgium / Lux

Tel: + 32 58235140 Sparex Belgium Bvba Toevluchtweg 9 B-8620 Nieuwpoort



Tel: + 49 4282 93100 Sparex Germany Hansestrasse 03 Sittensen 27419



Netherlands

Tel: + 31 235 841 020 Sparex Holland BV Luzernestraat 19N 2153 GM Nieuw-Vennep



Tel: + 349 451 33524 Sparex Agrirepuestos, S.L. C/Jose Maria Iparraguirre No.15 B 01006 Vitoria-Gasteiz (Alava)



Canada Tel: + 905 786 277 Sparex Canada Highway No. 2 On Newcastle L1b 119





Tel: + 61 298 205 777 Sparex Australia Pty Ltd 81-83 Strzelecki Avenue, Sunshine West, VIC 3020



Tel: + 1 330 562 8150 Sparex US PO Box 510 Aurora, OH 44202



New Zealand

Tel: + 64 9634 4121 4 Princes Street Onehunga, Auckland 1345





Poland Tel: +48 61 816 19 37 61-168 ul. Rataje 164, Poznań



## Africa

South Africa Cape - Tel: +27 00 21 887 3575 . KZN - Tel: + 27 31 573 1240

Cape branch 35 George Blake St, Plankenburg Stellenbosch 7600

KZN branch 59 Marseilles crescent Briardene Durban 4001

## **Sparex Export Markets**

Export

Tel: +44 1392 441314 Sparex Limited Exeter Airport Devon Exeter EX5 2LJ

www.sparex.com



According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of	of the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	B270
Container size	10ml, 25ml, 50ml and 250ml bottles
1.2. Relevant identified use	es of the substance or mixture and uses advised against
Identified uses	Adhesive.
1.3. Details of the supplier	of the safety data sheet
Supplier	
	Bondloc UK Ltd
	Unit 2 Bewdley Business Park
	Long Bank
	Bewdley
	Worcestershire
	DY12 2TZ
	+44 (0)1299 269269
	+44 (0)1299 269210
	sales@bondloc.co.uk
1.4. Emergency telephone	number
Emergency telephone	+44 (0)1299 269269
SECTION 2: Hazards ident	ification
2.1. Classification of the su	bstance or mixture
Classification (EC 1272/200	08)
Physical hazards	Not Classified
Health hazards	Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 STOT SE 3 - H335 STOT SE 3 - H335 STOT SE 3 - H335
Environmental hazards	Not Classified
2.2. Label elements	
Pictogram	
Signal word	Warning
Hazard statements	H315 Causes skin irritation.
	H317 May cause an allergic skin reaction.
	H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Precautionary statements	P261 Avoid breathing vapour/ spray.
	P264 Wash contaminated skin thoroughly after handling.
	P271 Use only outdoors or in a well-ventilated area.
	P272 Contaminated work clothing should not be allowed out of the workplace.
	P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
	P302+P352 IF ON SKIN: Wash with plenty of water.
	P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P312 Call a POISON CENTER/ doctor if you feel unwell.
	P321 Specific treatment (see medical advice on this label).
	P332+P313 If skin irritation occurs: Get medical advice/ attention.
	P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.
	P337+P313 If eye irritation persists: Get medical advice/ attention.
	P362+P364 Take off contaminated clothing and wash it before reuse.
	P403+P233 Store in a well-ventilated place. Keep container tightly closed.
	P405 Store locked up.
	P501 Dispose of contents/ container in accordance with national regulations.
Contains	Ethoxylated Bisphenol A Dimethacrylate, 2-hydroxypropyl methacrylate, $\alpha$ , $\alpha$ -dimethylbenzyl
	hydroperoxide, 1-Acetyl-2-phenylhydrazine, maleic acid

## 2.3. Other hazards

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

## Ethoxylated Bisphenol A Dimethacrylate

CAS number: 41637-38-1

## Classification

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 STOT SE 3 - H335

## 2-hydroxypropyl methacrylate

CAS number: 923-26-2

EC number: 213-090-3

#### 30-60%

30-60%

## Classification

Eye Irrit. 2 - H319 Skin Sens. 1 - H317

α,α-dimethylbenzyl hydroperc	vxide 1-5%
CAS number: 80-15-9	EC number: 201-254-7
Classification	
Org. Perox. E - H242	
Acute Tox. 4 - H302	
Acute Tox. 4 - H312	
Acute Tox. 3 - H331	
Skin Corr. 1B - H314	
Eye Dam. 1 - H318	
STOT SE 3 - H335	
STOT RE 2 - H373	
Aquatic Chronic 2 - H411	
1-Acetyl-2-phenylhydrazine	<1%
CAS number: 114-83-0	
Classification	
Acute Tox. 3 - H301	
Skin Irrit. 2 - H315	
Eye Irrit. 2 - H319	
Skin Sens. 1 - H317	
STOT SE 3 - H335	
maleic acid	<1%
CAS number: 110-16-7	EC number: 203-742-5
Classification	
Acute Tox. 4 - H302	
Skin Irrit. 2 - H315	
Eye Irrit. 2 - H319	
Skin Sens. 1 - H317	
STOT SE 3 - H335	
The full text for all hazard state	ements is displayed in Section 16.
SECTION 4: First aid measure	S
4.1. Description of first aid mea	asures
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if symptoms are severe or persist.
Ingestion	Do not induce vomiting. Give plenty of water to drink. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs.
Skin contact	Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues. Remove contaminated clothing.
Eye contact	Rinse immediately with plenty of water. Continue to rinse for at least 10 minutes. Get medical attention if irritation persists after washing.

## 4.2. Most important symptoms and effects, both acute and delayed

Skin contact

Prolonged skin contact may cause redness and irritation.

## 4.3. Indication of any immediate medical attention and special treatment needed

Specific treatments	Treat symptomatically.
SECTION 5: Firefighting measu	
5.1. Extinguishing media	Les sleshel resistant form, oarban diavide ar day newdar to avtinguigh
	Use alcohol-resistant foam, carbon dioxide or dry powder to extinguish.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from	n the substance or mixture
Specific hazards	In case of fire: Toxic gases or vapours.
Hazardous combustion products	Oxides of the following substances: Carbon dioxide (CO2). Nitrogen.
5.3. Advice for firefighters	
Protective actions during firefighting	Containers close to fire should be removed or cooled with water.
	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
SECTION 6: Accidental release	measures
6.1. Personal precautions, prote	ective equipment and emergency procedures
Personal precautions	Provide adequate ventilation.
6.2. Environmental precautions	
•	Avoid discharge into drains or watercourses or onto the ground. Avoid the spillage or runoff entering drains, sewers or watercourses.
6.3. Methods and material for co	ontainment and cleaning up
	Absorb spillage with sand or other inert absorbent. Collect and place in suitable waste disposal containers and seal securely.
6.4. Reference to other sections	<u> </u>
Reference to other sections	For personal protection, see Section 8. For waste disposal, see Section 13.
SECTION 7: Handling and stora	age
7.1. Precautions for safe handlin	ng
• ·	Use only in well-ventilated areas. Avoid contact with eyes and prolonged skin contact. Do not eat, drink or smoke when using this product. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.
7.2. Conditions for safe storage,	, including any incompatibilities
	Store at temperatures not exceeding 38°C. Store in tightly-closed, original container in a dry, cool and well-ventilated place. Protect from sunlight. Do not use containers made of the following materials: Aluminium. Mild steel. Copper. Rusty Steel. Tin.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure Controls/personal protection	

## 8.1. Control parameters

8.2. Exposure controls	
Eye/face protection	Wear eye protection.
Hand protection	Wear protective gloves made of the following material: Polyethylene. Neoprene. Nitrile rubber. Do NOT use Polyvinyl chloride (PVC). Rubber (natural, latex).
Other skin and body protection	Wear apron or protective clothing in case of contact.
Hygiene measures	Provide eyewash station.
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn.
SECTION 9: Physical and Ch	emical Properties
9.1. Information on basic phys	sical and chemical properties
Appearance	Liquid.
Colour	Green.
Odour	Sweetish.
Odour threshold	No information available.
рН	pH (concentrated solution): 3-5
Melting point	Not applicable.
Initial boiling point and range	Not applicable.
Flash point	> 100°C
Upper/lower flammability or explosive limits	Not applicable.
Vapour pressure	-0.1 mm Hg @ 20°C
Vapour density	Not applicable.
Solubility(ies)	Miscible with the following materials: Organic solvents. Slightly soluble in water.
Partition coefficient	No information available.
Decomposition Temperature	No information available.
Viscosity	500 cps @ °C
Explosive properties	No information available.
Oxidising properties	Not available.
9.2. Other information	
Other information	No information required.
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	Oxidising agents. Metal oxides.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended.
10.3. Possibility of hazardous reactions	

10.4. Conditions to avoid	
Conditions to avoid	Avoid exposure to high temperatures or direct sunlight.
10.5. Incompatible materials	
Materials to avoid	Avoid contact with the following materials: Aluminium. Mild Steel Rusty Steel Copper Tin
10.6. Hazardous decompositio	
Hazardous decomposition	In case of fire gases can be released Carbon dioxide (CO2). Nitrogen.
products	
SECTION 11: Toxicological inf	formation
11.1. Information on toxicologi	cal effects
Toxicological effects	No information available.
Acute toxicity - oral	
ATE oral (mg/kg)	18,436.57817109
Acute toxicity - dermal	
ATE dermal (mg/kg)	63,327.57628094
Acute toxicity - inhalation ATE inhalation (vapours mg/l)	172.71157168
Carcinogenicity	
Carcinogenicity	Does not contain any substances known to be carcinogenic.
Reproductive toxicity	
Reproductive toxicity - fertility	Does not contain any substances known to be toxic to reproduction.
Inhalation	Irritation of nose, throat and airway.
Ingestion	The product is considered to be a low hazard under normal conditions of use.
Skin contact	Skin irritation should not occur when used as recommended. Not a skin sensitiser.
Eye contact	May cause serious eye damage.
SECTION 12: Ecological Information	mation
Ecotoxicity	Not regarded as dangerous for the environment.
12.1. Toxicity	
Ecotoxicity	
Toxicity	Do not empty into drains/surface water/ground water
12.2. Persistence and degradability	
Persistence and degradability	The product is biodegradable.
12.3. Bioaccumulative potentia	
Bioaccumulative potential	Low
Partition coefficient	No information available.
12.4. Mobility in soil	
Mobility	The product has poor water-solubility.

## 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB** This product does not contain any substances classified as PBT or vPvB. assessment

12.6. Other adverse effect	<u>s</u>
Other adverse effects	Not available.
SECTION 13: Disposal co	nsiderations
13.1. Waste treatment methods	
General information	Dispose of waste product or used containers in accordance with local regulations
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
SECTION 14: Transport information	

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

## 14.1. UN number

Not applicable.

## 14.2. UN proper shipping name

Not applicable.

## 14.3. Transport hazard class(es)

No transport warning sign required.

#### 14.4. Packing group

Not applicable.

## 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

## 14.6. Special precautions for user

Not applicable.

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

## SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18
	December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of
	Chemicals (REACH) (as amended).
	Dangerous Preparations Directive 1999/45/EC.
	Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a list
	of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and
	Directive 91/689/EEC on hazardous waste with amendments.

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information	
Revision date	17/03/2015
Revision	3
Supersedes date	06/10/2014
SDS number	4594
Hazard statements in full	<ul> <li>H242 Heating may cause a fire.</li> <li>H301 Toxic if swallowed.</li> <li>H302 Harmful if swallowed.</li> <li>H312 Harmful in contact with skin.</li> <li>H314 Causes severe skin burns and eye damage.</li> <li>H315 Causes skin irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H318 Causes serious eye damage.</li> <li>H319 Causes serious eye irritation.</li> <li>H331 Toxic if inhaled.</li> <li>H335 May cause respiratory irritation.</li> <li>H373 May cause damage to organs through prolonged or repeated exposure.</li> <li>H411 Toxic to aquatic life with long lasting effects.</li> </ul>

PRECAUTIONS: This product and the auxiliary materials normally combined with it are capable of producing adverse health effects ranging from minor skin irritation to serious systemic effects. None of these materials should be used, stored, or transported until the handling precautions and recommendations as stated in the Material Safety Data Sheets (MSDS) for this and all other products being used are understood by all persons who will work with the product.

WARRANTY: All products purchased from or supplied by Bondloc are subject to terms and conditions set out in the contract. Bondloc warrants only that its product will meet those specifications designated as such herein or in other publications. All other information supplied by Bondloc is consider accurate but are furnished upon the express condition the customer shall make its own assessment to determine the product's suitability for a particular purpose. Bondloc makes no other warranty, either express or implied, including those regarding such other information, the data upon which the same is based, or the results to be obtained from the use thereof; that any product shall be merchantable or fit for any particular purpose; or that the use of such other information or product will not infringe any patent.