Contact Sheet



Europe

Austria Tel: + 43 4212 6400 Sparex Austria Muraunberger Str Hurzendorf 9300



Italy

Tel: + 43 4212 6400 Sparex Austria Muraunberger Str Hurzendorf 9300



Portugal

Tel: +351 261 311107 Sparex Portugal, Importação e Comércio de Peças,Lda. Lugar da Espera 2565-716 Runa.



Belgium / Lux

Tel: + 32 58235140 Sparex Belgium Bvba Toevluchtweg 9 B-8620 Nieuwpoort



Tel: + 49 4282 93100 Sparex Germany Hansestrasse 03 Sittensen 27419



Netherlands

Tel: + 31 235 841 020 Sparex Holland BV Luzernestraat 19N 2153 GM Nieuw-Vennep



Tel: + 349 451 33524 Sparex Agrirepuestos, S.L. C/Jose Maria Iparraguirre No.15 B 01006 Vitoria-Gasteiz (Alava)



Canada Tel: + 905 786 277 Sparex Canada Highway No. 2 On Newcastle L1b 119





Tel: + 61 298 205 777 Sparex Australia Pty Ltd 81-83 Strzelecki Avenue, Sunshine West, VIC 3020



Tel: + 1 330 562 8150 Sparex US PO Box 510 Aurora, OH 44202



New Zealand

Tel: + 64 9634 4121 4 Princes Street Onehunga, Auckland 1345





Poland Tel: +48 61 816 19 37 61-168 ul. Rataje 164, Poznań



Africa

South Africa Cape - Tel: +27 00 21 887 3575 . KZN - Tel: + 27 31 573 1240

Cape branch 35 George Blake St, Plankenburg Stellenbosch 7600

KZN branch 59 Marseilles crescent Briardene Durban 4001

Sparex Export Markets

Export

Tel: +44 1392 441314 Sparex Limited Exeter Airport Devon Exeter EX5 2LJ

www.sparex.com



According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of	the substance/mixture and of the company/undertaking	
1.1. Product identifier		
Product name	B510	
Container size	10ml, 25ml, 50ml and 250ml bottles	
1.2. Relevant identified uses	of the substance or mixture and uses advised against	
Identified uses	Adhesive.	
1.3. Details of the supplier of	the safety data sheet	
Supplier		
	Bondloc UK Ltd	
	Unit 2 Bewdley Business Park	
	Long Bank	
	Bewdley	
	Worcestershire	
	DY12 2TZ	
	+44 (0)1299 269269	
	+44 (0)1299 269210	
	sales@bondloc.co.uk	
1.4. Emergency telephone no	1.4. Emergency telephone number	
Emergency telephone	+44 (0)1299 269269	
SECTION 2: Hazards identifi	cation	
2.1. Classification of the subs	stance or mixture	
Classification (EC 1272/2008	3)	
Physical hazards	Not Classified	
Health hazards	Skin Corr. 1A - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317 STOT SE 3 - H335	
Environmental hazards	Aquatic Chronic 3 - H412	
2.2. Label elements		
Pictogram		
Signal word	Danger	
Hazard statements	H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H335 May cause respiratory irritation. H412 Harmful to aquatic life with long lasting effects.	

Precautionary statements	P260 Do not breathe vapour/ spray. P261 Avoid breathing vapour/ spray. P264 Wash contaminated skin thoroughly after handling.
	P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace.
	P273 Avoid release to the environment.
	P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	P302+P352 IF ON SKIN: Wash with plenty of water.
	P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
	P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P310 Immediately call a POISON CENTER/ doctor.
	P312 Call a POISON CENTER/ doctor if you feel unwell.
	P321 Specific treatment (see medical advice on this label).
	P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.
	P362+P364 Take off contaminated clothing and wash it before reuse.
	P363 Wash contaminated clothing before reuse.
	P403+P233 Store in a well-ventilated place. Keep container tightly closed.
	P405 Store locked up.
	P501 Dispose of contents/ container in accordance with national regulations.
Contains	Aliphatic urethane acrylate, Poly(ethylene glycol) dimethacrylate, acrylic acid, 1-Acetyl-2- phenylhydrazine

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Aliphatic urethane acrylate

CAS number: 68987-79-1

Classification

Skin Irrit. 2 - H315 Skin Sens. 1 - H317

Poly(ethylene glycol) dimethacrylate

CAS number: 25852-47-5

Classification

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335 Aquatic Chronic 3 - H412 30-60%

60-100%

acrylic acid	5-10%
CAS number: 79-10-7	EC number: 201-177-9
M factor (Acute) = 1	
Classification	
Flam. Liq. 3 - H226	
Acute Tox. 4 - H302	
Acute Tox. 4 - H312	
Acute Tox. 4 - H332	
Skin Corr. 1A - H314	
Eye Dam. 1 - H318 STOT SE 3 - H335	
Aquatic Acute 1 - H400	
α,α-dimethylbenzyl hydropere	oxide <1%
CAS number: 80-15-9	EC number: 201-254-7
Classification	
Org. Perox. E - H242	
Acute Tox. 4 - H302	
Acute Tox. 4 - H312	
Acute Tox. 3 - H331	
Skin Corr. 1B - H314	
Eye Dam. 1 - H318	
STOT SE 3 - H335 STOT RE 2 - H373	
Aquatic Chronic 2 - H411	
1-Acetyl-2-phenylhydrazine	<1%
CAS number: 114-83-0	
Classification	
Acute Tox. 3 - H301	
Skin Irrit. 2 - H315	
Eye Irrit. 2 - H319	
Skin Sens. 1 - H317	
STOT SE 3 - H335	
The full text for all hazard state	ements is displayed in Section 16.
SECTION 4: First aid measure	95
4.1. Description of first aid me	asures
Inhalation	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
Ingestion	Rinse mouth thoroughly with water. Give plenty of water to drink. Do not induce vomiting.

Skin contact Wash skin thoroughly with soap and water. Get medical attention.

Eye contactRinse immediately with plenty of water. Get medical attention if symptoms are severe or
persist. Continue to rinse for at least 10 minutes.

4.2. Most important symptoms and effects, both acute and delayed

General information	Treat symptomatically.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	Treat symptomatically.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	Extinguish with the following media: Carbon dioxide (CO2). Foam. Water spray. Powder.
Unsuitable extinguishing media	None known.
5.2. Special hazards arising fro	om the substance or mixture
Hazardous combustion products	Oxides of carbon. Oxides of nitrogen. Sulphur.
5.3. Advice for firefighters	
Protective actions during firefighting	Containers close to fire should be removed or cooled with water.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
SECTION 6: Accidental release	e measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	Avoid contact with skin and eyes. Provide adequate ventilation. Avoid inhalation of dust and vapours.
6.2. Environmental precaution	<u>S</u>
Environmental precautions	Avoid discharge into drains or watercourses or onto the ground.
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	Absorb spillage with sand or other inert absorbent. Collect and place in suitable waste disposal containers and seal securely.
6.4. Reference to other section	ns
Reference to other sections	For personal protection, see Section 8. For waste disposal, see Section 13.
SECTION 7: Handling and sto	rage
7.1. Precautions for safe hand	ling
Usage precautions	Use only in well-ventilated areas. Do not eat, drink or smoke when using this product. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Avoid contact with eyes and prolonged skin contact.
7.2. Conditions for safe storag	e, including any incompatibilities
Storage precautions	Store in tightly-closed, original container in a well-ventilated place. Protect from sunlight. Keep away from heat. Protect from moisture.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure Controls/personal protection	
8.1. Control parameters	

8.1. Control parameters

Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn.
Hygiene measures	Wash hands thoroughly after handling. Wash after use and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.
Other skin and body protection	Wear apron or protective clothing in case of contact.
Hand protection	To protect hands from chemicals, gloves should comply with European Standard EN374. Wear protective gloves made of the following material: Butyl rubber. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material.
Eye/face protection	Wear eye protection.
8.2. Exposure controls	

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Red.
Odour	Characteristic.
Odour threshold	Not available.
рН	Not determined.
Melting point	Not available.
Initial boiling point and range	Not determined.
Flash point	< 100°C
Evaporation rate	Not determined.
Upper/lower flammability or explosive limits	Not applicable.
Vapour pressure	Not determined.
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	Miscible with water.
Partition coefficient	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Viscosity	Paste
Explosive properties	Not available.
Oxidising properties	Not available.
9.2. Other information	
Other information	None.
SECTION 10: Stability and reactivity	

10.1. Reactivity

Reactivity	See Section 10.3 (Possibility of hazardous reactions) for further information.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	None known.
10.4. Conditions to avoid	
Conditions to avoid	Avoid exposure to high temperatures or direct sunlight. Avoid heat.
10.5. Incompatible materials	
Materials to avoid	Avoid contact with the following materials: Strong acids. Strong oxidising agents. Alkalis.
10.6. Hazardous decompositio	on products
Hazardous decomposition products	In case of fire Oxides of: Carbon dioxide (CO2). Carbon monoxide (CO). Nitrogen.
SECTION 11: Toxicological in	formation
11.1. Information on toxicologi	cal effects
Acute toxicity - oral	
ATE oral (mg/kg)	6,666.67
Acute toxicity - dermal	
ATE dermal (mg/kg)	22,000.0
Acute toxicity - inhalation	
ATE inhalation (vapours mg/l)	160.98
Inhalation	Irritating to respiratory system.
Skin contact	Irritating.
Eye contact	Causes serious eye irritation.
SECTION 12: Ecological Infor	mation
Ecotoxicity	There are no data on the ecotoxicity of this product.
12.1. Toxicity	
Ecotoxicity	
Toxicity	Avoid discharge into drains or watercourses or onto the ground.
12.2. Persistence and degradability	
Persistence and degradability	There are no data on the degradability of this product.
12.3. Bioaccumulative potentia	al
Bioaccumulative potential	No data available on bioaccumulation.
Partition coefficient	Not available.
12.4. Mobility in soil	
Mobility	Not available

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB This product does not contain any substances classified as PBT or vPvB. assessment

<u>S</u>	
Not available.	
nsiderations	
13.1. Waste treatment methods	
Dispose of waste product or used containers in accordance with local regulations	
Dispose of waste product or used containers in accordance with local regulations	
08 04 09 waste adhesives and sealants containing organic solvents or other dangerous substances. 15 01 10 packaging containing residues of or contaminated by dangerous substances.	

SECTION 14: Transport information

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the council of 18 December 2006 concerning the Registration, evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information	
Revision date	30/06/2016
Revision	1
Supersedes date	16/07/2015
SDS number	5092
Hazard statements in full	 H226 Flammable liquid and vapour. H242 Heating may cause a fire. H301 Toxic if swallowed. H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H335 May cause angle to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

PRECAUTIONS: This product and the auxiliary materials normally combined with it are capable of producing adverse health effects ranging from minor skin irritation to serious systemic effects. None of these materials should be used, stored, or transported until the handling precautions and recommendations as stated in the Material Safety Data Sheets (MSDS) for this and all other products being used are understood by all persons who will work with the product.

WARRANTY: All products purchased from or supplied by Bondloc are subject to terms and conditions set out in the contract. Bondloc warrants only that its product will meet those specifications designated as such herein or in other publications. All other information supplied by Bondloc is consider accurate but are furnished upon the express condition the customer shall make its own assessment to determine the product's suitability for a particular purpose. Bondloc makes no other warranty, either express or implied, including those regarding such other information, the data upon which the same is based, or the results to be obtained from the use thereof; that any product shall be merchantable or fit for any particular purpose; or that the use of such other information or product will not infringe any patent.