Contact Sheet



Europe

Austria Tel: + 43 4212 6400 Sparex Austria Muraunberger Str Hurzendorf 9300



Italy

Tel: + 43 4212 6400 Sparex Austria Muraunberger Str Hurzendorf 9300



Portugal

Tel: +351 261 311107 Sparex Portugal, Importação e Comércio de Peças,Lda. Lugar da Espera 2565-716 Runa.



Belgium / Lux

Tel: + 32 58235140 Sparex Belgium Bvba Toevluchtweg 9 B-8620 Nieuwpoort



Tel: + 49 4282 93100 Sparex Germany Hansestrasse 03 Sittensen 27419



Netherlands

Tel: + 31 235 841 020 Sparex Holland BV Luzernestraat 19N 2153 GM Nieuw-Vennep



Tel: + 349 451 33524 Sparex Agrirepuestos, S.L. C/Jose Maria Iparraguirre No.15 B 01006 Vitoria-Gasteiz (Alava)



Canada Tel: + 905 786 277 Sparex Canada Highway No. 2 On Newcastle L1b 119





Tel: + 61 298 205 777 Sparex Australia Pty Ltd 81-83 Strzelecki Avenue, Sunshine West, VIC 3020



Tel: + 1 330 562 8150 Sparex US PO Box 510 Aurora, OH 44202



New Zealand

Tel: + 64 9634 4121 4 Princes Street Onehunga, Auckland 1345





Poland Tel: +48 61 816 19 37 61-168 ul. Rataje 164, Poznań



Africa

South Africa Cape - Tel: +27 00 21 887 3575 . KZN - Tel: + 27 31 573 1240

Cape branch 35 George Blake St, Plankenburg Stellenbosch 7600

KZN branch 59 Marseilles crescent Briardene Durban 4001

Sparex Export Markets

Export

Tel: +44 1392 441314 Sparex Limited Exeter Airport Devon Exeter EX5 2LJ

www.sparex.com



According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

substance/mixture and of the company/undertaking 518 te substance or mixture and uses advised against dhesive. safety data sheet ondloc UK Ltd nit 2 Bewdley Business Park ong Bank ewdley /orcestershire Y12 2TZ 44 (0)1299 269269 44 (0)1299 269210 ales@bondloc.co.uk
e substance or mixture and uses advised against dhesive. safety data sheet ondloc UK Ltd init 2 Bewdley Business Park ong Bank ewdley /orcestershire Y12 2TZ 44 (0)1299 269269 44 (0)1299 269210 ales@bondloc.co.uk
e substance or mixture and uses advised against dhesive. safety data sheet ondloc UK Ltd init 2 Bewdley Business Park ong Bank ewdley /orcestershire Y12 2TZ 44 (0)1299 269269 44 (0)1299 269210 ales@bondloc.co.uk
dhesive. safety data sheet ondloc UK Ltd Init 2 Bewdley Business Park ong Bank ewdley /orcestershire IY12 2TZ 44 (0)1299 269269 44 (0)1299 269210 ales@bondloc.co.uk
safety data sheet ondloc UK Ltd nit 2 Bewdley Business Park ong Bank ewdley /orcestershire Y12 2TZ 44 (0)1299 269269 44 (0)1299 269210 ales@bondloc.co.uk
ondloc UK Ltd Init 2 Bewdley Business Park ong Bank ewdley /orcestershire Y12 2TZ 44 (0)1299 269269 44 (0)1299 269210 ales@bondloc.co.uk
Init 2 Bewdley Business Park ong Bank ewdley /orcestershire Y12 2TZ 44 (0)1299 269269 44 (0)1299 269210 ales@bondloc.co.uk
init 2 Bewdley Business Park ong Bank ewdley /orcestershire Y12 2TZ 44 (0)1299 269269 44 (0)1299 269210 ales@bondloc.co.uk
ong Bank ewdley /orcestershire Y12 2TZ 44 (0)1299 269269 44 (0)1299 269210 ales@bondloc.co.uk
ong Bank ewdley /orcestershire Y12 2TZ 44 (0)1299 269269 44 (0)1299 269210 ales@bondloc.co.uk
ewdley /orcestershire Y12 2TZ 44 (0)1299 269269 44 (0)1299 269210 ales@bondloc.co.uk
Vorcestershire Y12 2TZ 44 (0)1299 269269 44 (0)1299 269210 ales@bondloc.co.uk
44 (0)1299 269269 44 (0)1299 269210 ales@bondloc.co.uk
44 (0)1299 269269 44 (0)1299 269210 ales@bondloc.co.uk
44 (0)1299 269210 ales@bondloc.co.uk
ales@bondloc.co.uk
44 (0)1299 269269
n
ze or mixture
ot Classified
kin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 STOT SE 3 - H335
quatic Chronic 3 - H412
anger
315 Causes skin irritation. 317 May cause an allergic skin reaction. 318 Causes serious eye damage. 335 May cause respiratory irritation. 412 Harmful to aquatic life with long lasting effects.

Precautionary statements	P261 Avoid breathing vapour/ spray.
-	P264 Wash contaminated skin thoroughly after handling.
	P271 Use only outdoors or in a well-ventilated area.
	P272 Contaminated work clothing should not be allowed out of the workplace.
	P273 Avoid release to the environment.
	P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
	P302+P352 IF ON SKIN: Wash with plenty of water.
	P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P310 Immediately call a POISON CENTER/ doctor.
	P312 Call a POISON CENTER/ doctor if you feel unwell.
	P321 Specific treatment (see medical advice on this label).
	P332+P313 If skin irritation occurs: Get medical advice/ attention.
	P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.
	P362+P364 Take off contaminated clothing and wash it before reuse.
	P403+P233 Store in a well-ventilated place. Keep container tightly closed.
	P405 Store locked up.
	P501 Dispose of contents/ container in accordance with national regulations.
Contains	Aliphatic urethane acrylate, Poly(ethylene glycol) dimethacrylate, acrylic acid, 1-Acetyl-2- phenylhydrazine
2.3. Other hazarde	

60-100%

30-60%

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Aliphatic urethane acrylate

CAS number: 68987-79-1

Classification

Skin Irrit. 2 - H315 Skin Sens. 1 - H317

Poly(ethylene glycol) dimethacrylate

CAS number: 25852-47-5

Classification

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335 Aquatic Chronic 3 - H412

acrylic acid		1-5%
CAS number: 79-10-7	EC number: 201-177-9	
M factor (Acute) = 1		
Classification		
Flam. Liq. 3 - H226		
Acute Tox. 4 - H302		
Acute Tox. 4 - H312		
Acute Tox. 4 - H332		
Skin Corr. 1A - H314		
Eye Dam. 1 - H318		
STOT SE 3 - H335		
Aquatic Acute 1 - H400		
α,α-dimethylbenzyl hydroperoxide		<1%
CAS number: 80-15-9	EC number: 201-254-7	
Olaasifastian		
Classification Org. Perox. E - H242		
Acute Tox. 4 - H302		
Acute Tox. 4 - H312		
Acute Tox. 3 - H331		
Skin Corr. 1B - H314		
Eye Dam. 1 - H318		
STOT SE 3 - H335		
STOT RE 2 - H373		
Aquatic Chronic 2 - H411		
•		
1-Acetyl-2-phenylhydrazine		<1%
CAS number: 114-83-0		
Classification		
Acute Tox. 3 - H301		
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
Skin Sens. 1 - H317		
STOT SE 3 - H335		

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. [Descriptio	n of first ai	d measures	

General information	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
Inhalation	Remove person to fresh air and keep comfortable for breathing. Get medical attention if symptoms are severe or persist. If in doubt, get medical attention promptly.
Ingestion	Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Never give anything by mouth to an unconscious person. Get medical attention.
Skin contact	Rinse immediately with plenty of water. Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.

Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
4.2. Most important symptoms	and effects, both acute and delayed
General information	The product contains a sensitising substance. Treat symptomatically.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	Treat symptomatically.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	Use alcohol-resistant foam, carbon dioxide or dry powder to extinguish.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from	om the substance or mixture
Hazardous combustion products	Oxides of carbon. Oxides of nitrogen.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
SECTION 6: Accidental release	e measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	Provide adequate ventilation.
For emergency responders	Wear self-contained breathing apparatus.
6.2. Environmental precaution	<u>S</u>
Environmental precautions	Do not discharge into drains or watercourses or onto the ground. To prevent release, place container with damaged side up. Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	Absorb spillage with sand or other inert absorbent. Provide adequate ventilation. Collect and place in suitable waste disposal containers and seal securely. Wash thoroughly after dealing with a spillage.
6.4. Reference to other section	
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.
SECTION 7: Handling and sto	rage
7.1. Precautions for safe hand	ling
Usage precautions	Provide adequate ventilation. Wear protective clothing, gloves, eye and face protection.
Advice on general occupational hygiene	Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storag	e, including any incompatibilities
Storage precautions	Store in tightly-closed, original container in a well-ventilated place. Store in a dry place. Do not store near heat sources or expose to high temperatures.
7.3. Specific end use(s)	

Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure Contr	rols/personal protection
8.1. Control parameters	
8.2. Exposure controls	
Protective equipment	
Appropriate engineering controls	This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.
Eye/face protection	Personal protective equipment for eye and face protection should comply with European Standard EN166.
Hand protection	To protect hands from chemicals, gloves should comply with European Standard EN374. Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The selected gloves should have a breakthrough time of at least 8 hours. Butyl rubber.
Other skin and body protection	Wear an apron.
Hygiene measures	Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Remove contaminated clothing and protective equipment before entering eating areas. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn.
Environmental exposure controls	Store in a demarcated bunded area to prevent release to drains and/or watercourses.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Red.
Odour	Characteristic.
рН	Not determined.
Melting point	Not determined.
Initial boiling point and range	Not determined.
Flash point	< 100°C
Upper/lower flammability or explosive limits	Not determined.
Vapour pressure	Not determined.
Vapour density	Not determined.
Viscosity	Not determined.
Explosive properties	Technically not feasible.
Oxidising properties	Not applicable.
9.2. Other information	

Other information	None.
SECTION 10: Stability and rea	ctivity
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	None known.
10.4. Conditions to avoid	
Conditions to avoid	Light. Avoid exposure to high temperatures or direct sunlight.
10.5. Incompatible materials	
Materials to avoid	Strong acids. Avoid contact with strong oxidising agents. Alkalis.
10.6. Hazardous decompositio	n products
Hazardous decomposition products	In case of fire Oxides of carbon. Oxides of nitrogen.
SECTION 11: Toxicological inf	ormation
11.1. Information on toxicologic	cal effects
Acute toxicity - oral	
ATE oral (mg/kg)	7,142.85714286
Acute toxicity - dermal ATE dermal (mg/kg)	36,666.66666667
Acute toxicity - inhalation ATE inhalation (vapours mg/l)	185.39325843
Toxicokinetics	No information available.
Inhalation	May cause respiratory irritation.
Skin contact	Causes skin irritation. May cause an allergic skin reaction. May cause sensitisation by skin contact. May cause skin sensitisation or allergic reactions in sensitive individuals.
Eye contact	Causes serious eye damage.
Target organs	Respiratory system, lungs
SECTION 12: Ecological Inform	nation
Ecotoxicity	Do not discharge into drains or watercourses or onto the ground.
12.1. Toxicity	
Ecotoxicity	
12.2. Persistence and degrada	bility
Persistence and degradability	The product contains substances which are not expected to be biodegradable.
12.3. Bioaccumulative potentia	
Bioaccumulative potential	The product contains potentially bioaccumulating substances.

12.4 Mahility in sail	
<u>12.4. Mobility in soil</u> Mobility	No data available
-	
12.5. Results of PBT and vPvB Results of PBT and vPvB assessment	No data available.
12.6. Other adverse effects	
Other adverse effects	No data available.
SECTION 13: Disposal consid	erations
13.1. Waste treatment method	
General information	Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
SECTION 14: Transport inform	nation
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
14.1. UN number	
Not applicable.	
14.2. UN proper shipping nam	e
Not applicable.	
14.3. Transport hazard class(e	<u>əs)</u>
No transport warning sign requ	Jired.
14.4. Packing group	
Not applicable.	
14.5. Environmental hazards	
Environmentally hazardous su No.	bstance/marine pollutant
14.6. Special precautions for u	iser
Not applicable.	
14.7. Transport in bulk accord	ing to Annex II of MARPOL and the IBC Code
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.
SECTION 15: Regulatory infor	mation
15.1. Safety, health and enviro	onmental regulations/legislation specific for the substance or mixture
EU legislation	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
15.2. Chemical safety assessr	nent
Inventories	

EU - EINECS/ELINCS

None of the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

None of the ingredients are listed or exempt.

SDS number	4838
Hazard statements in full	H226 Flammable liquid and vapour.
	H242 Heating may cause a fire.
	H301 Toxic if swallowed.
	H302 Harmful if swallowed.
	H312 Harmful in contact with skin.
	H314 Causes severe skin burns and eye damage.
	H315 Causes skin irritation.
	H317 May cause an allergic skin reaction.
	H318 Causes serious eye damage.
	H319 Causes serious eye irritation.
	H331 Toxic if inhaled.
	H332 Harmful if inhaled.
	H335 May cause respiratory irritation.
	H373 May cause damage to organs through prolonged or repeated exposure.
	H400 Very toxic to aquatic life.
	H411 Toxic to aquatic life with long lasting effects.
	H412 Harmful to aquatic life with long lasting effects.

PRECAUTIONS: This product and the auxiliary materials normally combined with it are capable of producing adverse health effects ranging from minor skin irritation to serious systemic effects. None of these materials should be used, stored, or transported until the handling precautions and recommendations as stated in the Material Safety Data Sheets (MSDS) for this and all other products being used are understood by all persons who will work with the product.

WARRANTY: All products purchased from or supplied by Bondloc are subject to terms and conditions set out in the contract. Bondloc warrants only that its product will meet those specifications designated as such herein or in other publications. All other information supplied by Bondloc is consider accurate but are furnished upon the express condition the customer shall make its own assessment to determine the product's suitability for a particular purpose. Bondloc makes no other warranty, either express or implied, including those regarding such other information, the data upon which the same is based, or the results to be obtained from the use thereof; that any product shall be merchantable or fit for any particular purpose; or that the use of such other information or product will not infringe any patent.