Contact Sheet



Europe

Austria Tel: + 43 4212 6400 Sparex Austria Muraunberger Str Hurzendorf 9300



Italy

Tel: + 43 4212 6400 Sparex Austria Muraunberger Str Hurzendorf 9300



Portugal

Tel: +351 261 311107 Sparex Portugal, Importação e Comércio de Peças,Lda. Lugar da Espera 2565-716 Runa.



Belgium / Lux

Tel: + 32 58235140 Sparex Belgium Bvba Toevluchtweg 9 B-8620 Nieuwpoort



Tel: + 49 4282 93100 Sparex Germany Hansestrasse 03 Sittensen 27419



Netherlands

Tel: + 31 235 841 020 Sparex Holland BV Luzernestraat 19N 2153 GM Nieuw-Vennep



Tel: + 349 451 33524 Sparex Agrirepuestos, S.L. C/Jose Maria Iparraguirre No.15 B 01006 Vitoria-Gasteiz (Alava)



Canada Tel: + 905 786 277 Sparex Canada Highway No. 2 On Newcastle L1b 119





Tel: + 61 298 205 777 Sparex Australia Pty Ltd 81-83 Strzelecki Avenue, Sunshine West, VIC 3020



Tel: + 1 330 562 8150 Sparex US PO Box 510 Aurora, OH 44202



New Zealand

Tel: + 64 9634 4121 4 Princes Street Onehunga, Auckland 1345





Poland Tel: +48 61 816 19 37 61-168 ul. Rataje 164, Poznań



Africa

South Africa Cape - Tel: +27 00 21 887 3575 . KZN - Tel: + 27 31 573 1240

Cape branch 35 George Blake St, Plankenburg Stellenbosch 7600

KZN branch 59 Marseilles crescent Briardene Durban 4001

Sparex Export Markets

Export

Tel: +44 1392 441314 Sparex Limited Exeter Airport Devon Exeter EX5 2LJ

www.sparex.com


EURO-LOCK

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.10.2016

Version number 18

Revision: 13.10.2016



(Contd. on page 2)

Version number 18

Trade name: Fresh Climate LOS838

	(Contd. of page 1)
H319	Causes serious eye irritation.
· Precaution	nary statements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P280	Wear eye protection / face protection.
P305+P35	51+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P410+P41	Protect from sunlight. Do not expose to temperatures exceeding 50 °C.
P501	Dispose of contents/container to hazardous or special waste collection point.
· Additional	l information:
Buildup of	explosive mixtures possible without sufficient ventilation.
· 2.3 Other	hazards
· Results of	PBT and vPvB assessment

- esults of PBT and vI vB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 811-97-2 EINECS: 212-377-0	1,1,1,2-Tetrafluorethan substance with a Community workplace exposure limit	50-100%
CAS: 67-63-0 EINECS: 200-661-7 Reg.nr.: 01-2119457558-25-xxxx	propan-2-ol Xi R36; → F R11 R67 Flam. Liq. 2, H225; ◆ Eye Irrit. 2, H319; STOT SE 3, H336	10-20%
· Regulation (EC) No 648/2004 on	detergents / Labelling for contents	
halogenated hydrocarbons		≥ 30%
perfumes (D-LIMONENE)		< 5%

• Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- After inhalation:
- Supply fresh air; consult doctor in case of complaints.
- Take affected persons into fresh air and keep quiet.
- · After skin contact:
- Immediately wash with water and soap and rinse thoroughly.
- Immediately remove any clothing soiled by the product.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Do not induce vomiting; call for medical help immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 3)

Version number 18

Trade name: Fresh Climate LOS838

(Contd. of page 2)

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Foam

Fire-extinguishing powder

Carbon dioxide

- For safety reasons unsuitable extinguishing agents: Water with full jet • 5.2 Special hazards arising from the substance or mixture
- Can form explosive gas-air mixtures. Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.
- Additional information
 Cool endangered receptacles with water spray.
 Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- 6.4 Reference to other sections See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Avoid contact with skin and eyes.

- · Information about fire and explosion protection:
- Keep ignition sources away Do not smoke.
- Protect against electrostatic charges.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray onto a naked flame or any incandescent material.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- *Requirements to be met by storerooms and receptacles: Store in a cool location.*

Observe official regulations on storing packagings with pressurised containers.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

Version number 18

Trade name: Fresh Climate LOS838

ingreu	ients with limit values that require monitoring at the workplace:
811-97	-2 1,1,1,2-Tetrafluorethan
WEL I	Long-term value: 4240 mg/m³, 1000 ppm
67-63-	0 propan-2-ol
WEL S	Short-term value: 1250 mg/m ³ , 500 ppm
	Long-term value: 999 mg/m ³ , 400 ppm
Additie	onal information: The lists valid during the making were used as basis.
	posure controls
	postre controls pal protective equipment:
	al protective equipment: al protective and hygienic measures:
	way from foodstuffs, beverages and feed.
-	iately remove all soiled and contaminated clothing
	nands before breaks and at the end of work.
	inhale gases / fumes / aerosols.
	contact with the eyes and skin.
	atory protection: Not required.
Recom	mended filter device for short term use: Filter AX
Protec	tion of hands:
The gle	ove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Materi	al of gloves
Nitrile	rubber, NBR
	mended thickness of the material: ≥ 0.45 mm
	ation time of glove material
≥240 r	
	act break trough time has to be found out by the manufacturer of the protective gloves and has to l
observ	
Eve nr	otection:

· Body protection: Protective work clothing

*

• 9.1 Information on basic • General Information • Appearance:	c physical and chemical properties
Form:	Aerosol
Colour:	Colourless
· Odour:	Fruit-like
Melting point/Melting Boiling point/Boiling r	range: Not applicable, as aerosol.
· Flash point:	Not applicable, as aerosol.
-	Not applicable, as aerosol. >200 °C
· Flash point: · Ignition temperature: · Danger of explosion:	

Version number 18

Trade name: Fresh Climate LOS838

(Contd. of page 4)

• Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Organic solvents:	10.8 %
Water:	5.4 %
VOC (EC)	1147.9 g/l
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- \cdot 10.5 Incompatible materials: No further relevant information available.
- \cdot 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity:

· LD/LC50 values relevant for classification:

67-63-0 propan-2-ol			
Oral		5045 mg/kg (rat)	
Dermal	LD50	12800 mg/kg (rabbit)	
Inhalative	LC50/4 h	30 mg/l (rat)	

• Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: No irritating effect.

- Sensitisation: No sensitising effects known.
- · Additional toxicological information: Vapours have narcotic effect.

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

(Contd. on page 6)

Version number 18

Trade name: Fresh Climate LOS838

(Contd. of page 5)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

16 05 04 gases in pressure containers (including halons) containing dangerous substances

15 01 04 metallic packaging

· Uncleaned packaging:

*

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport informat	ion	
· 14.1 UN-Number · ADR, IMDG, IATA	UN1950	
\cdot 14.2 UN proper shipping name		
·ADR	UN1950 AEROSOLS	
·IMDG	AEROSOLS	
·IATA	AEROSOLS, flammable	
· 14.3 Transport hazard class(es)		
· ADR		
· Class	2 5F Gases.	
· Label	2.1	
· Class	2.1	
· Label	2.1	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
• 14.6 Special precautions for user	Warning: Gases.	
· Danger code (Kemler): · EMS Number:	- F-D,S-U	
· 14.7 Transport in bulk according to Anne MARPOL73/78 and the IBC Code	x II of Not applicable.	
· Transport/Additional information:		
· ADR		
· Limited quantities (LQ)	1L	
• Excepted quantities (EQ)	Code: E0	
· · · · · ·	Not permitted as Excepted Quantity	
· Transport category	2	

Version number 18

Trade name: Fresh Climate LOS838

	(Contd. of page 6)
· Tunnel restriction code	D
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E0 Not permitted as Excepted Quantity
· UN ''Model Regulation'':	UN1950, AEROSOLS, 2.1

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. R11 Highly flammable. R36 Irritating to eyes. R67 Vapours may cause drowsiness and dizziness. · Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Flam. Aerosol 1: Flammable aerosols, Hazard Category 1 Flam. Liq. 2: Flammable liquids, Hazard Category 2 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 • * Data compared to the previous version altered.