

# Contact Sheet



## Europe

 **Austria**  
Tel: + 43 4212 6400  
Sparex Austria  
Muraunberger Str  
Hurzendorf 9300

 **Belgium / Lux**  
Tel: + 32 58235140  
Sparex Belgium Bvba  
Toevluchtweg 9  
B- 8620 Nieuwpoort

 **Denmark**  
Tel: + 45 647 22287  
Sparex Denmark  
Sparex Limited ApS  
Messevej 1  
9600 Aars

 **France**  
Tel: +33 2987 89234  
Sparex S.A.R.L.  
Zae De Ty Douar  
Commana 29450

 **Germany**  
Tel: + 49 4282 93100  
Sparex Germany  
Hansestrasse 03  
Sittensen 27419

 **Ireland**  
Tel: +353 51 855592  
Sparex (Tractor Accessories) Ltd  
Grannagh  
Waterford  
Ireland

 **Italy**  
Tel: + 43 4212 6400  
Sparex Austria  
Muraunberger Str  
Hurzendorf 9300

 **Netherlands**  
Tel: + 31 235 841 020  
Sparex Holland BV  
Luzernstraat 19N  
2153 GM Nieuw-Vennep

 **Poland**  
Tel: +48 61 816 19 37  
61-168 ul. Rataje 164, Poznań

 **Portugal**  
Tel: +351 261 311107  
Sparex Portugal, Importação  
e Comércio de Peças,Lda.  
Lugar da Espera 2565-716 Runa.

 **Spain**  
Tel: + 349 451 33524  
Sparex Agrirepuestos,S.L. C/Jose Maria  
Iparraguirre  
No.15 B  
01006 Vitoria-Gasteiz (Alava)

 **UK**  
Tel: +44 1392 441338  
Sparex Limited  
Exeter Airport Devon  
Exeter EX5 2LJ

## North America

 **Canada**  
Tel: + 905 786 277  
Sparex Canada Highway  
No. 2 On Newcastle L1b 119

 **USA**  
Tel: + 1 330 562 8150  
Sparex US  
PO Box 510  
Aurora, OH 44202

## Africa

 **South Africa**  
Cape - Tel: +27 00 21 887 3575  
KZN - Tel: + 27 31 573 1240  
Cape branch  
35 George Blake St,  
Plankenburg  
Stellenbosch 7600  
KZN branch  
59 Marseilles crescent  
Briardene  
Durban 4001

## Australasia

 **Australia**  
Tel: + 61 298 205 777  
Sparex Australia Pty Ltd  
81-83 Strzelecki Avenue,  
Sunshine West, VIC 3020

 **New Zealand**  
Tel: + 64 9634 4121  
4 Princes Street Onehunga,  
Auckland 1345

## Sparex Export Markets

 **Export**  
Tel: +44 1392 441314  
Sparex Limited  
Exeter Airport  
Devon Exeter EX5 2LJ

**EVO-STIK FOAM FILLER**  
Supersedes Date: 14-Aug-2018

Revision Date 14-Aug-2018  
Revision Number 1

**Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1. Product Identifier**

**Product Name** EVO-STIK FOAM FILLER  
**Pure substance/mixture** Mixture

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Recommended use** Building and construction work.  
**Uses advised against** Consumer use

**1.3. Details of the supplier of the safety data sheet**

**Company Name**

Bostik BV  
De Voerman 8  
PO Box 303  
5215 MH's-Hertogenbosch, The Netherlands  
Tel: +31 736 244 244  
Fax: +31 736 244 344

**E-mail address** SDS.box-EU@bostik.com

**1.4. Emergency telephone number**

<b>United Kingdom</b>	+44 (1785) 272650
<b>Ireland</b>	+353 (1) 8624900 (Monday- Friday 9am-5pm)

**Section 2: HAZARDS IDENTIFICATION**

**2.1. Classification of the substance or mixture**

**Classification according to Regulation (EC) No. 1272/2008 [CLP]**

<b>Acute toxicity - Inhalation (Dusts/Mists)</b>	Category 4 - (H332)
<b>Skin Corrosion/Irritation</b>	Category 2 - (H315)
<b>Serious eye damage/eye irritation</b>	Category 2 - (H319)
<b>Respiratory sensitisation</b>	Category 1 - (H334)
<b>Skin sensitisation</b>	Category 1 - (H317)
<b>Carcinogenicity</b>	Category 2 - (H351)
<b>Effects on or via lactation</b>	Yes - (H362)
<b>Specific target organ toxicity (single exposure)</b>	Category 3 - (H335)
<b>Specific target organ toxicity (repeated exposure)</b>	Category 2 - (H373)
<b>Chronic aquatic toxicity</b>	Category 4 - (H413)
<b>Aerosols</b>	Category 1 - (H222)

**2.2. Label Elements**

**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

Contains Isocyanic acid, polymethylenepolyphenylene ester, Alkanes, C14-17, chloro

# Safety Data Sheet

EVO-STIK FOAM FILLER  
Supersedes Date: 14-Aug-2018

Revision Date 14-Aug-2018  
Revision Number 1



**Signal word**  
DANGER

## Hazard statements

H222 - Extremely flammable aerosol  
H229 - Pressurised container: May burst if heated  
H315 - Causes skin irritation  
H317 - May cause an allergic skin reaction  
H319 - Causes serious eye irritation  
H332 - Harmful if inhaled  
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled  
H335 - May cause respiratory irritation  
H351 - Suspected of causing cancer  
H362 - May cause harm to breast-fed children  
H373 - May cause damage to organs through prolonged or repeated exposure  
H413 - May cause long lasting harmful effects to aquatic life

## Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand  
P102 - Keep out of reach of children  
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
P211 - Do not spray on an open flame or other ignition source  
P251 - Do not pierce or burn, even after use  
P260 - Do not breathe spray  
P263 - Avoid contact during pregnancy/while nursing  
P273 - Avoid release to the environment  
P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P302 + P352 - IF ON SKIN: Wash with plenty of water and soap  
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F  
P501 - Dispose of contents/ container to an approved waste disposal plant

## 2.3. Other Hazards

### General Hazards

In case of insufficient ventilation and/or through use, the formation of a explosive/highly flammable mixture is possible.

### PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Mixture

### 3.2 Mixtures

Chemical Name	EC No.	CAS No.	Weight-%	Classification according to	Specific concentration limit (SCL)	REACH Registration
---------------	--------	---------	----------	-----------------------------	------------------------------------	--------------------

# Safety Data Sheet

EVO-STIK FOAM FILLER  
 Supersedes Date: 14-Aug-2018

Revision Date 14-Aug-2018  
 Revision Number 1

				Regulation (EC) No. 1272/2008 [CLP]		Number
Isocyanic acid, polymethylenepolyphenylene ester	618-498-9	9016-87-9	40 - <80	STOT SE 3 (H335) STOT RE 2 (H373) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Resp. Sens. 1 (H334) Skin Sens. 1 (H317) Carc. 2 (H351) Acute Tox. 4 (H332)	STOT SE 3 :: C>=5% Skin Irrit. 2 :: C>=5% Eye Irrit. 2 :: C>=5% Resp. Sens. 1 :: C>=0.1%	Exempt(P)
Alkanes, C14-17, chloro	287-477-0	85535-85-9	15 - 25	Lact. (H362) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH066)		01-2119519269-33 -XXXX
Propane	200-827-9	74-98-6	10 - <20	Flam. Gas 1 (H220) Press. Gas		01-2119486944-21 -XXXX
Isobutane	200-857-2	75-28-5	10 - <20	Flam. Gas 1 (H220) Press. Gas		01-2119485395-27 -XXXX
Dimethyl ether	204-065-8	115-10-6	10 - <20	Flam. Gas 1 (H220) Press. Gas		01-2119472128-37 -XXXX

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## Section 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

<b>General Advice</b>	Remove and isolate contaminated clothing and shoes. In case of accident or being unwell, seek medical advice immediately (show directions for use or safety data sheet if possible).
<b>Inhalation</b>	Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Call a doctor or poison control centre immediately.
<b>Skin Contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if symptoms occur.
<b>Eye contact</b>	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get medical attention if symptoms occur.
<b>Ingestion</b>	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Seek medical advice immediately.
<b>Self-Protection of the First Aider</b>	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

### 4.2. Most important symptoms and effects, both acute and delayed

# Safety Data Sheet

EVO-STIK FOAM FILLER  
Supersedes Date: 14-Aug-2018

Revision Date 14-Aug-2018  
Revision Number 1

**Symptoms** May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory tract irritation. Irritating to eyes. Irritating to skin. May cause allergic skin reaction.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

**Note to doctors** Keep victim warm and quiet. Effects of exposure (inhalation, ingestion or skin contact) to substance may be delayed.

### **Section 5: FIREFIGHTING MEASURES**

#### **5.1. Extinguishing media**

##### **Suitable Extinguishing Media**

Use extinguishing agent suitable for type of surrounding fire. Dry chemical or CO<sub>2</sub>. Water spray, fog or regular foam. Move containers from fire area if you can do it without risk. Damaged cylinders should be handled only by specialists.

##### **Unsuitable Extinguishing Media**

Do not use a solid water stream as it may scatter and spread fire

#### **5.2. Special hazards arising from the substance or mixture**

Some may burn but none ignite readily. Ruptured cylinders may rocket.

**Hazardous Combustion Products** Carbon monoxide. Nitrogen oxides (NO<sub>x</sub>). Hydrogen chloride. Hydrogen cyanide. Carbon dioxide (CO<sub>2</sub>).

#### **5.3. Advice for firefighters**

Caution! Container under pressure. Heating causes rise in pressure with risk of bursting. Cool container with water spray.

### **Section 6: ACCIDENTAL RELEASE MEASURES**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### **Personal Precautions**

Remove all possible sources of ignition in the surrounding area. Ensure adequate ventilation, especially in confined areas.

Ventilate the area.

##### **For emergency responders**

Use personal protection recommended in Section 8.

#### **6.2. Environmental precautions**

Use water spray to reduce vapours or divert vapour cloud drift. Avoid allowing water runoff to contact spilled material. Prevent entry into waterways, sewers, basements or confined areas.

#### **6.3. Methods and material for containment and cleaning up**

**Methods for Containment** If possible, turn leaking containers so that gas escapes rather than liquid. Allow substance to evaporate.

**Methods for cleaning up** Cleaning agent: Acetone.

#### **6.4. Reference to other sections**

**Reference to other sections** Section 7: HANDLING AND STORAGE  
Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION  
Section 13: DISPOSAL CONSIDERATIONS

### **Section 7: HANDLING AND STORAGE**

# Safety Data Sheet

EVO-STIK FOAM FILLER  
Supersedes Date: 14-Aug-2018

Revision Date 14-Aug-2018  
Revision Number 1

## 7.1. Precautions for safe handling

### Advice on safe handling

Ensure adequate ventilation, especially in confined areas. Use only in well-ventilated areas. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Pressurized container: Do not pierce or burn, even after use.

### General Hygiene Considerations

When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.

## 7.2. Conditions for safe storage, including any incompatibilities

### Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Recommended storage temperature. 10 - 35 °C. Observe local regulations / instructions for storage of pressurized containers. Keep from freezing.

## 7.3. Specific end use(s)

### Other Information

Observe technical data sheet.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

Chemical Name	European Union	Ireland	United Kingdom
Isocyanic acid, polymethylenepolyphenylene ester 9016-87-9	-	-	TWA: 0.02 mg/m <sup>3</sup> STEL: 0.07 mg/m <sup>3</sup> SEN; as -NCO
Dimethyl ether 115-10-6	TWA: 1000 ppm TWA: 1920 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1920 mg/m <sup>3</sup> STEL: 3000 ppm STEL: 5760 mg/m <sup>3</sup>	STEL: 500 ppm STEL: 958 mg/m <sup>3</sup> TWA: 400 ppm TWA: 766 mg/m <sup>3</sup>
Propane 74-98-6	-	TWA: 1000 ppm STEL: 3000 ppm Asphyxiant	-
Isobutane 75-28-5	-	TWA: 1000 ppm (8hr) STEL: 1000 ppm	-

**Derived No Effect Level (DNEL)** No information available

**Predicted No Effect Concentration (PNEC)** No information available.

### 8.2. Exposure controls

**Engineering Controls** Ensure adequate ventilation, especially in confined areas.

### Personal Protective Equipment

#### Eye/Face Protection

#### Hand Protection

Tight sealing safety goggles. Face protection shield.

Wear protective gloves. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time of the gloves depends on the material and the thickness as well as the temperature. Gloves should be replaced regularly and if there is any sign of damage to the glove material.

#### Skin and Body Protection

#### Respiratory Protection

Wear fire/flammable resistant/retardant clothing.

Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment.

**Environmental Exposure Controls** Do not allow into any sewer, on the ground or into any body of water.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

# Safety Data Sheet

EVO-STIK FOAM FILLER  
Supercedes Date: 14-Aug-2018

Revision Date 14-Aug-2018  
Revision Number 1

## 9.1. Information on basic physical and chemical properties

Physical State	Aerosol
Appearance	Foam
Colour	No information available
Odour	Characteristic
Odour Threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No information available	
Melting point / freezing point	No information available	
Boiling point / boiling range	No information available	Not applicable, Aerosol
Flash Point	No information available °C / °F	Not applicable, Aerosol
Evaporation Rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability or explosive limits	16	
Lower flammability or explosive limits	3	
Vapour Pressure	6 bar	
Vapour Density	No information available	
Relative Density	No information available	
Water Solubility	Insoluble in water	
Solubility in Other Solvents	No information available	
Partition coefficient	No information available	
Autoignition Temperature	235 °C / 455 °F	
Decomposition Temperature	No information available	
Explosive Properties	No information available	
Oxidising Properties	No information available	
Kinematic Viscosity	No information available	
Dynamic Viscosity	No information available	

## 9.2. Other information

Softening Point	No information available	
Molecular Weight	No information available	
Solvent content (%)	No information available	
Solid content (%)	No information available	
Density	0.951 g/cm <sup>3</sup>	
Bulk Density	No data available	
VOC (volatile organic compound)	196.27 g/L / 20.65 %	European directive n°2010/75/UE

## **Section 10: STABILITY AND REACTIVITY**

### 10.1. Reactivity

None under normal use conditions.

### 10.2. Chemical stability

Stable under normal conditions.

#### Explosion Data

Sensitivity to Mechanical Impact Pressurized container: Do not pierce or burn, even after use.  
Sensitivity to Static Discharge May be ignited by friction, heat, sparks or flames.

### 10.3. Possibility of hazardous reactions

#### **Possibility of Hazardous Reactions**

None under normal processing.

# Safety Data Sheet

EVO-STIK FOAM FILLER  
Supersedes Date: 14-Aug-2018

Revision Date 14-Aug-2018  
Revision Number 1

## 10.4. Conditions to avoid

Heating causes rise in pressure with risk of bursting.

## 10.5. Incompatible materials

Strong oxidising agents. Acid anhydrides. Strong acids. Amines. and. Alcohols. Water.

## 10.6. Hazardous decomposition products

Hydrogen cyanide. Carbon monoxide. Carbon dioxide (CO<sub>2</sub>). Hydrogen chloride. Nitrogen oxides (NO<sub>x</sub>).

## **Section 11: TOXICOLOGICAL INFORMATION**

### 11.1. Information on toxicological effects

#### Information on likely routes of exposure

#### **Product Information**

Classification is based on additional test data from raw material supplier.

<b>Inhalation</b>	Harmful by inhalation.
<b>Eye contact</b>	Severely irritating to eyes.
<b>Skin Contact</b>	Irritating to skin.
<b>Ingestion</b>	Not an expected route of exposure.
<b>Sensitisation</b>	May cause sensitisation by inhalation. May cause sensitisation by skin contact.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Skin Corrosion/Irritation</b>	Irritating to skin.
<b>Serious eye damage/eye irritation</b>	Irritating to eyes.
<b>Sensitisation</b>	May cause sensitisation by inhalation and skin contact.
<b>Germ Cell Mutagenicity</b>	Not applicable.
<b>Carcinogenicity</b>	Contains a known or suspected carcinogen.
<b>Reproductive Toxicity</b>	May cause harm to breastfed babies.
<b>STOT - single exposure</b>	May cause respiratory irritation.
<b>STOT - repeated exposure</b>	Causes damage to organs through prolonged or repeated exposure.
<b>Target Organ Effects</b>	Heart, Central nervous system.
<b>Aspiration hazard</b>	Based on available data, the classification criteria are not met.

#### Numerical measures of toxicity

##### **Acute Toxicity**

The following values are calculated based on chapter 3.1 of the GHS document mg/kg

<b>ATEmix (dermal)</b>	14,000.00 mg/kg
<b>ATEmix (inhalation-dust/mist)</b>	3.00 mg/l

#### Component Information



# Safety Data Sheet

EVO-STIK FOAM FILLER  
Supersedes Date: 14-Aug-2018

Revision Date 14-Aug-2018  
Revision Number 1

## Toxicity Data

Data obtained on the component(s) include

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Isocyanic acid, polymethylenepolyphenylene ester 9016-87-9	LD 50 > 10000 mg/kg ( Rat )	LD 50 > 9400 mg/kg ( Rabbit )	=1.5 mg/L ( Rat ) 4 h
Alkanes, C14-17, chloro 85535-85-9	> 4000 mg/kg (rat)	> 2000 mg/kg (rat)	-

## Section 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

#### Ecotoxicity

May cause long lasting harmful effects to aquatic life

### Component Information

Data obtained on the component(s) include

Chemical Name	Algae/aquatic plants	Fish	Crustacea	M-Factor
Isocyanic acid, polymethylenepolyphenylene ester 9016-87-9	ErC50 (72h) >1640 mg/L Algae (scenedesmus subspicatus) (OECD 201)	CL50 (96h) >1000 mg/L Fish (Danio rerio)	EC50 (24H) >1000 mg/L Daphnia magna	
Alkanes, C14-17, chloro 85535-85-9	-	LC50 48 h > 500 mg/L (Leuciscus idus static)	EC50 (48h) = 0.0059 mg/l (Daphnia magna) OECD 202	

### 12.2. Persistence and degradability

No information available.

### 12.3. Bioaccumulative potential

No information available.

#### Partition coefficient

No information available

### 12.4. Mobility in soil

#### Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

### 12.6. Other adverse effects

No information available

### Endocrine Disruptor Information

Chemical Name	EU - Endocrine Disruptors Candidate List	EU - Endocrine Disruptors - Evaluated Substances
Alkanes, C14-17, chloro 85535-85-9	Group III Chemical	

## Section 13: DISPOSAL CONSIDERATIONS

# Safety Data Sheet

EVO-STIK FOAM FILLER  
Supersedes Date: 14-Aug-2018

Revision Date 14-Aug-2018  
Revision Number 1

## 13.1. Waste treatment methods

<b>Waste from Residues/Unused Products</b>	Dispose of wastes in an approved waste disposal facility.
<b>Contaminated Packaging</b>	Improper disposal or reuse of this container may be dangerous and illegal.
<b>European Waste Catalogue</b>	08 05 01* waste isocyanates 16 05 04* gases in pressure containers (including halons) containing dangerous substances 08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances
<b>Other Information</b>	Waste codes should be assigned by the user based on the application for which the product was used.

## **Section 14: TRANSPORT INFORMATION**

### Land transport (ADR/RID)

<b>14.1 UN Number</b>	UN1950
<b>14.2 Proper Shipping Name</b>	Aerosols, Environmentally Hazardous
<b>14.3 Transport hazard class(es)</b>	2
<b>Labels</b>	2.1
<b>14.4 Packing Group</b>	Not regulated
<b>Description</b>	UN1950, Aerosols, 2, (D), Environmentally Hazardous
<b>14.5 Environmental hazards</b>	Yes
<b>14.6 Special Provisions</b>	190, 327, 344, 625
<b>Classification Code</b>	5F
<b>Tunnel restriction code</b>	(D)
<b>Limited Quantity (LQ)</b>	1 L

### IMDG

<b>14.1 UN Number</b>	UN1950
<b>14.2 Proper Shipping Name</b>	Aerosols, Marine Pollutant
<b>14.3 Transport hazard class(es)</b>	2.1
<b>14.4 Packing Group</b>	Not regulated
<b>Description</b>	UN1950, Aerosols, 2.1, Marine Pollutant
<b>14.5 Marine Pollutant</b>	P
<b>14.6 Special Provisions</b>	63, 190, 277, 327, 344, 381, 959
<b>Limited Quantity (LQ)</b>	See SP277
<b>EmS-No.</b>	F-D, S-U
<b>14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	No information available

### Air transport (ICAO-TI / IATA-DGR)

<b>14.1 UN Number</b>	UN1950
<b>14.2 Proper Shipping Name</b>	Aerosols, flammable
<b>14.3 Transport hazard class(es)</b>	2.1
<b>14.4 Packing Group</b>	Not regulated
<b>Description</b>	UN1950, Aerosols, flammable, 2.1
<b>14.5 Environmental hazards</b>	Yes
<b>14.6 Special Provisions</b>	A145, A167, A802
<b>Limited Quantity (LQ)</b>	30 kg G
<b>ERG Code</b>	10L

## **Section 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European Union

# Safety Data Sheet

**EVO-STIK FOAM FILLER**  
**Supersedes Date:** 14-Aug-2018

**Revision Date** 14-Aug-2018  
**Revision Number** 1

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

## **Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)**

### **EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59**

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

### **EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction**

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

### **EU-REACH (1907/2006) - Annex XIV - List of substances subject to Authorization**

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

**Dangerous substance category per Seveso Directive (2012/18/EU)**

P3a - FLAMMABLE AEROSOLS

**Ozone-depleting substances (ODS) regulation (EC) 1005/2009**

Not applicable

**Persistent Organic Pollutants**

Not applicable

## **15.2. Chemical safety assessment**

## **Section 16: OTHER INFORMATION**

### **Key or legend to abbreviations and acronyms used in the safety data sheet**

#### **Full text of H-Statements referred to under section 3**

H362 - May cause harm to breast-fed children  
H400 - Very toxic to aquatic life  
H410 - Very toxic to aquatic life with long lasting effects  
H335 - May cause respiratory irritation  
H373 - May cause damage to organs through prolonged or repeated exposure  
H315 - Causes skin irritation  
H319 - Causes serious eye irritation  
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled  
H317 - May cause an allergic skin reaction  
H351 - Suspected of causing cancer  
H332 - Harmful if inhaled  
EUH066 - Repeated exposure may cause skin dryness or cracking

#### **Legend**

SVHC: Substances of Very High Concern for Authorisation:

**Legend** SECTION 8: Exposure controls/personal protection

TWA TWA (time-weighted average)

Ceiling Maximum limit value

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

STEL  
\*

STEL (Short Term Exposure Limit)  
Skin designation

# Safety Data Sheet

**EVO-STIK FOAM FILLER**  
**Supersedes Date:** 14-Aug-2018

**Revision Date** 14-Aug-2018  
**Revision Number** 1

---

STOT (RE): Specific target organ toxicity - Repeated exposure  
STOT (SE): Specific target organ toxicity - Single exposure  
EWC: European Waste Catalogue

## **Key literature references and sources for data**

Classification and labeling data calculated from data received from raw material suppliers

**Prepared By** Product Safety & Regulatory Affairs

**Revision Date** 14-Aug-2018

## **Indication of changes**

**Revision Note** Not applicable.

**Training Advice** No information available

**Further information** No information available

**This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006**

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**