

# Contact Sheet



## Europe

 **Austria**  
Tel: + 43 4212 6400  
Sparex Austria  
Muraunberger Str  
Hurzendorf 9300

 **Belgium / Lux**  
Tel: + 32 58235140  
Sparex Belgium Bvba  
Toevluchtweg 9  
B- 8620 Nieuwpoort

 **Denmark**  
Tel: + 45 647 22287  
Sparex Denmark  
Sparex Limited ApS  
Messevej 1  
9600 Aars

 **France**  
Tel: +33 2987 89234  
Sparex S.A.R.L.  
Zae De Ty Douar  
Commana 29450

 **Germany**  
Tel: + 49 4282 93100  
Sparex Germany  
Hansestrasse 03  
Sittensen 27419

 **Ireland**  
Tel: +353 51 855592  
Sparex (Tractor Accessories) Ltd  
Grannagh  
Waterford  
Ireland

 **Italy**  
Tel: + 43 4212 6400  
Sparex Austria  
Muraunberger Str  
Hurzendorf 9300

 **Netherlands**  
Tel: + 31 235 841 020  
Sparex Holland BV  
Luzernstraat 19N  
2153 GM Nieuw-Vennep

 **Poland**  
Tel: +48 61 816 19 37  
61-168 ul. Rataje 164, Poznań

 **Portugal**  
Tel: +351 261 311107  
Sparex Portugal, Importação  
e Comércio de Peças,Lda.  
Lugar da Espera 2565-716 Runa.

 **Spain**  
Tel: + 349 451 33524  
Sparex Agrirepuestos,S.L. C/Jose Maria  
Iparraguirre  
No.15 B  
01006 Vitoria-Gasteiz (Alava)

 **UK**  
Tel: +44 1392 441338  
Sparex Limited  
Exeter Airport Devon  
Exeter EX5 2LJ

## North America

 **Canada**  
Tel: + 905 786 277  
Sparex Canada Highway  
No. 2 On Newcastle L1b 119

 **USA**  
Tel: + 1 330 562 8150  
Sparex US  
PO Box 510  
Aurora, OH 44202

## Africa

 **South Africa**  
Cape - Tel: +27 00 21 887 3575  
KZN - Tel: + 27 31 573 1240  
Cape branch  
35 George Blake St,  
Plankenburg  
Stellenbosch 7600  
KZN branch  
59 Marseilles crescent  
Briardene  
Durban 4001

## Australasia

 **Australia**  
Tel: + 61 298 205 777  
Sparex Australia Pty Ltd  
81-83 Strzelecki Avenue,  
Sunshine West, VIC 3020

 **New Zealand**  
Tel: + 64 9634 4121  
4 Princes Street Onehunga,  
Auckland 1345

## Sparex Export Markets

 **Export**  
Tel: +44 1392 441314  
Sparex Limited  
Exeter Airport  
Devon Exeter EX5 2LJ

# **BONDLOC<sup>TM</sup>**

## **FORMULAS THAT WORK**

### **SAFETY DATA SHEET**

#### **B406**

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

#### **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

##### **1.1. Product identifier**

**Product name** B406

**Container size** 20g, 50g

##### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Identified uses** Adhesive.

##### **1.3. Details of the supplier of the safety data sheet**

###### **Supplier**

Bondloc UK Ltd  
Unit 2 Bewdley Business Park  
Long Bank  
Bewdley  
Worcestershire  
DY12 2TZ  
+44 (0)1299 269269  
+44 (0)1299 269210  
sales@bondloc.co.uk

##### **1.4. Emergency telephone number**

**Emergency telephone** +44 (0)1299 269269

#### **SECTION 2: Hazards identification**

##### **2.1. Classification of the substance or mixture**

###### **Classification (EC 1272/2008)**

**Physical hazards** Not Classified

**Health hazards** Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335

**Environmental hazards** Not Classified

##### **2.2. Label elements**

###### **Pictogram**



**Signal word** Warning

**Hazard statements** H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.

**B406**

<b>Precautionary statements</b>	<p>P261 Avoid breathing vapour/ spray.</p> <p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P271 Use only outdoors or in a well-ventilated area.</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P302+P352 IF ON SKIN: Wash with plenty of water.</p> <p>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P312 Call a POISON CENTER/ doctor if you feel unwell.</p> <p>P321 Specific treatment (see medical advice on this label).</p> <p>P332+P313 If skin irritation occurs: Get medical advice/ attention.</p> <p>P337+P313 If eye irritation persists: Get medical advice/ attention.</p> <p>P362+P364 Take off contaminated clothing and wash it before reuse.</p> <p>P403+P233 Store in a well-ventilated place. Keep container tightly closed.</p> <p>P405 Store locked up.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p>
---------------------------------	---

**Supplemental label information** EUH202 Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

**Contains** ethyl 2-cyanoacrylate

**2.3. Other hazards****SECTION 3: Composition/information on ingredients****3.2. Mixtures**

<b>ethyl 2-cyanoacrylate</b>	<b>60-100%</b>
CAS number: 7085-85-0	EC number: 230-391-5
<b>Classification</b>	
Skin Irrit. 2 - H315	
Eye Irrit. 2 - H319	
STOT SE 3 - H335	

The full text for all hazard statements is displayed in Section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures**

<b>General information</b>	Get medical advice/attention if you feel unwell.
<b>Inhalation</b>	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Ensure that breathing passages are not obstructed. The product will polymerise immediately in the mouth making it almost impossible to swallow. Saliva will slowly separate the solidified product from the mouth (several hours).
<b>Skin contact</b>	If adhesive bonding occurs, do not force skin apart. It may be gently peeled apart using a blunt object such as a spoon, preferably after soaking in warm soapy water. Cyanoacrylates give off heat on solidification. In rare cases a large a large drop will generate enough heat to cause a burn. Burns should be treated normally after the adhesive has been removed from the skin if lips are accidentally stuck together apply warm water to the lips and encourage maximum wetting and pressure from saliva inside the mouth. Peel or roll lips apart. Do not try to pull apart with direct opposing action.

**B406**

**Eye contact** If the eye is bonded closed, release eyelashes with warm water by covering with wet pad. cyanoacrylate will bond to eye protein and will cause periods of weeping which will help to de-bond the adhesive. Keep eye covered until de-bonding is complete, usually within in 1-3 days. Medical advice should be sought in case solid particles of cyanoacrylate trapped behind the eyelid cause any abrasive damage.

**4.2. Most important symptoms and effects, both acute and delayed**

**General information** Treat symptomatically.

**4.3. Indication of any immediate medical attention and special treatment needed**

**Notes for the doctor** Apply a pad soaked in warm water and allow the eyelids to separate. If adhesive bonding occurs, prise the skin apart slowly, working from the edge of the bonded area. Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media**

**Suitable extinguishing media** Extinguish with foam, carbon dioxide or dry powder.

**5.2. Special hazards arising from the substance or mixture**

**Specific hazards** The product is not flammable. Trace amounts of toxic fumes may be released on incineration and the use of breathing apparatus is recommended.

**5.3. Advice for firefighters**

**Protective actions during firefighting** Trace amounts of toxic fumes may be released on incineration and the use of breathing apparatus is recommended.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Avoid contact with skin and eyes. Provide adequate ventilation.

**6.2. Environmental precautions**

**Environmental precautions** The product is biodegradable.

**6.3. Methods and material for containment and cleaning up**

**Methods for cleaning up** Provide adequate ventilation. Do not use cloths for mopping up. Polymerise with water and scrape off floor.

**6.4. Reference to other sections**

**Reference to other sections** For waste disposal, see Section 13. For personal protection, see Section 8.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

**Usage precautions** For personal protection, see Section 8.

**7.2. Conditions for safe storage, including any incompatibilities**

**Storage precautions** Store at temperatures between 2°C and 8°C.

**7.3. Specific end use(s)**

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

**SECTION 8: Exposure Controls/personal protection****8.1. Control parameters**

**B406****Occupational exposure limits****ethyl 2-cyanoacrylate**Short-term exposure limit (15-minute): WEL 0.3 ppm 1.5 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit

**8.2. Exposure controls****Protective equipment****Eye/face protection**

Wear eye protection.

**Hand protection**

Wear protective gloves made of the following material: Polyethylene. polypropylene Do NOT use Polyvinyl chloride (PVC). Rubber (natural, latex). nylon cotton

**SECTION 9: Physical and Chemical Properties****9.1. Information on basic physical and chemical properties**

<b>Appearance</b>	Liquid.
<b>Colour</b>	Clear.
<b>Odour</b>	Characteristic.
<b>Odour threshold</b>	No information available.
<b>pH</b>	Not applicable.
<b>Melting point</b>	No information available.
<b>Initial boiling point and range</b>	96-150°C
<b>Flash point</b>	85°C
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	No information available.
<b>Vapour pressure</b>	.293 mm Hg
<b>Vapour density</b>	No information available.
<b>Relative density</b>	No information available.
<b>Solubility(ies)</b>	Insoluble in water. Soluble in the following materials: Acetone.
<b>Partition coefficient</b>	No information available.
<b>Auto-ignition temperature</b>	No information available.
<b>Decomposition Temperature</b>	No information available.
<b>Explosive properties</b>	No information available.

**9.2. Other information**

<b>Other information</b>	None.
<b>Volatile organic compound</b>	20 g/l

**SECTION 10: Stability and reactivity**

**B406****10.1. Reactivity**

**Reactivity** Polymerisation will occur in the presence of moisture and other basic materials.

**10.2. Chemical stability**

**Stability** Stable at normal ambient temperatures and when used as recommended.

**10.3. Possibility of hazardous reactions**

**Possibility of hazardous reactions** Polymerisation will occur in the presence of moisture and other basic materials.

**10.4. Conditions to avoid**

**Conditions to avoid** None known.

**10.5. Incompatible materials**

**Materials to avoid** Moisture.

**10.6. Hazardous decomposition products****SECTION 11: Toxicological information****11.1. Information on toxicological effects**

**Toxicological effects** Considered low toxicity.

**Inhalation** Vapours may irritate eyes and respiratory system May cause inhalation hypersensitivity (occupational asthma) in sensitive individuals.

**Ingestion** Cyanoacrylates are considered to have relatively low toxicity. It is almost impossible to swallow as it rapidly polymerises in the mouth.

**Skin contact** Bonds skin and eyes in seconds. May cause skin irritation.

**Eye contact** Bonds skin and eyes in seconds. In a dry atmosphere vapours may cause irritation and lachrymatory effect.

**SECTION 12: Ecological Information**

**Ecotoxicity** There are no data on the ecotoxicity of this product.

**12.1. Toxicity**

**Ecotoxicity**

**Toxicity** Low

**12.2. Persistence and degradability**

**Persistence and degradability** The product is biodegradable.

**12.3. Bioaccumulative potential**

**Bioaccumulative potential** No data available on bioaccumulation.

**Partition coefficient** No information available.

**12.4. Mobility in soil**

**Mobility** The product is insoluble in water.

**12.5. Results of PBT and vPvB assessment**

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

**B406****12.6. Other adverse effects**

**Other adverse effects**                      None known.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

**General information**                      Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

**Disposal methods**                        Dispose of waste product or used containers in accordance with local regulations

**SECTION 14: Transport information**

**General**                                        The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

**14.1. UN number**

Not applicable.

**14.2. UN proper shipping name**

Not applicable.

**14.3. Transport hazard class(es)**

No transport warning sign required.

**14.4. Packing group**

Not applicable.

**14.5. Environmental hazards**

**Environmentally hazardous substance/marine pollutant**

No.

**14.6. Special precautions for user**

Not applicable.

**14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code**

**Transport in bulk according to**    Not applicable.

**Annex II of MARPOL 73/78**

**and the IBC Code**

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU legislation**                              Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).  
 Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).  
 Dangerous Preparations Directive 1999/45/EC.

**15.2. Chemical safety assessment**

No chemical safety assessment has been carried out.

**Inventories**

## B406

### EU - EINECS/ELINCS

None of the ingredients are listed or exempt.

### US - TSCA 12(b) Export Notification

None of the ingredients are listed or exempt.

### SECTION 16: Other information

<b>Revision date</b>	24/09/2014
<b>SDS number</b>	4524
<b>Hazard statements in full</b>	H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

**PRECAUTIONS:** This product and the auxiliary materials normally combined with it are capable of producing adverse health effects ranging from minor skin irritation to serious systemic effects. None of these materials should be used, stored, or transported until the handling precautions and recommendations as stated in the Material Safety Data Sheets (MSDS) for this and all other products being used are understood by all persons who will work with the product.

**WARRANTY:** All products purchased from or supplied by Bondloc are subject to terms and conditions set out in the contract. Bondloc warrants only that its product will meet those specifications designated as such herein or in other publications. All other information supplied by Bondloc is considered accurate but are furnished upon the express condition the customer shall make its own assessment to determine the product's suitability for a particular purpose. Bondloc makes no other warranty, either express or implied, including those regarding such other information, the data upon which the same is based, or the results to be obtained from the use thereof; that any product shall be merchantable or fit for any particular purpose; or that the use of such other information or product will not infringe any patent.