

Offering a complete line of OEM quality Hydraulic Couplers

- OEM Style • Flat-Face Couplings • Standard Couplings • Dust Caps & Plugs
- Selected Items Available in Merchandising Snap Packs or Bulk • Competitive Pricing • Made in Italy

Complete Coupler Assembly w/ Tip - Poppet Style



Contains: Female Coupler 1/2" Body S.118961 - Male Tip 1/2" NPT S.118895
Push/Pull coupling when clamp mounted. Breakaway one hand coupling and un-coupling.

1/2" Body Size
1/2" NPT - Female Thread
Replaces: Pioneer 4200-4P

S.118963 (Bulk each Set)
S.118964 (1 Set per Snap Pack)



S.128315 **S.128320**
Single Clamp Double Clamp

Complete Coupler Assembly w/ Tip - Poppet Style



Contains: Female Coupler Body & Male Tip
Pressure must be relieved for two hand coupling & un-coupling.

1/2" Body Size
1/2" NPT - Female Thread
Replaces: Pioneer 4000-4

S.118960 (Bulk each Set)
S.118893 (1 Set per Snap Pack)

3/8" Body Size
3/8" NPT - Female Thread
Replaces: Pioneer 4000-3

S.147839 (Bulk each Set)
S.147840 (1 Set per Snap Pack)

Complete Coupler Assembly - Ball Style



Pressure must be relieved for two handed coupling & uncoupling.

1" Body Size
1" NPT - Female Thread
Replaces: Pioneer 4000-6P

S.154023 (Bulk each Set)



Female Coupler - Ball Style

Can use with Male Tips S.118898 & S.118957

Pressure must be relieved for two handed coupling & uncoupling.

1" Body Size
1" NPT - Female Thread
Replaces: Pioneer 4050-6P

S.153943 (Bulk each)

Female Coupler - Poppet Style



Can use with Male Tips: S.118895, S.118897, S.118898, S.118899, S.118900
Push/Pull coupling when clamp mounted. Breakaway one hand coupling and un-coupling.

1/2" Body Size
1/2" NPT - Female Thread
Replaces: Pioneer 4250-4

S.118961 (Bulk each)
S.118896 (1 Set per Snap Pack)



S.128315 **S.128320**
Single Clamp Double Clamp

Female Coupler - Poppet Style



Can use with Male Tips
Pressure must be relieved for two hand coupling & un-coupling.

1/2" Body Size
1/2" NPT - Female Thread
Replaces: Pioneer 4050-4P

S.118962 (Bulk each)
S.118894 (1 Set per Snap Pack)

3/8" Body Size
3/8" NPT - Female Thread
Replaces: Pioneer 4050-3P

S.147835 (Bulk each)
S.147836 (1 Set per Snap Pack)

BULKHEAD COUPLERS

NEW



Female Coupler - High Flow

Push-pull high flow female coupler, connectable under residual pressure with breakaway function.

½" Body x 7/8" Male JIC Bulkhead

S.170643 (Bulk each)

OEM STYLE COUPLERS

Female Coupler - High Flow

Push/Pull couple & un-couple with residual pressure on both coupler & tip side. Includes Break-away Function. Threads directly into valve body or rigid lines.

Fits: **Ford/NH:** T4000, T6000, TN, TS Series, **Case-IH:** Farmall, JX, Maxxum Series, **MF:** 300, 3000, 6000, 7000 Series, **JD:** 5000, 6000, 7000 Series, **McCormick:** MC, MTX, TTX Series
Replaces: S.3049, S.112642, 5179558, 3384874M4, 3384873M4, 1696241M92, AL166181, AL119348, 714213A2, 3905722M91, 297907A3, Parker # RSD-501-22MM-L103-F



1" Body Size
22mm x 1.5 Male Thread - Break-a-way

S.166050 (Bulk each)

S.167117 (1 Set per Snap Pack)

Female Coupler - High Flow Poppet Style

Can use with Male Tips: S.118895, S.118897, S.118898, S.118899, S.118900 Push-Pull Coupling, connectable with Male Tip under pressure. Includes Break-away Function.

Fits: **Kubota:** Most "M" Series. **MF:** 1526, 1560E, 1560, 1635, 1643, 1648, 1652, 1655, 1660, 1735, 1736, 1742, 1749, 1754, 1758, 1759, 1740M, 1750M, 1755M, 1760M, 1835M, 1840M, 2705E, 2706E, 2750E, 2760E, 2850E, 2850M, 2855M, 2860E, 2860M, 4607M, 4608, 4609, 4609M, 4610, 4610M.
Replaces: S.113105, S.128811, 3C001-82010, 3C001-2030, 3Y201-82010, 7076543M91, 6252227M91



1" Body Size
3/8" BSPP - Male Thread with O-Ring

S.166045 (Bulk each)

S.167193 (1 Set per Snap Pack)

Female Coupler

(approx 3" overall length)
Connect w/ tip under pressure. Relieve pressure on coupler before un-coupling.
Fits: **Ford/NH:** T, TN Series
Replaces: 5179557



1" Body Size
22mm x 1.5 Male Thd - Break-a-way

S.119942 (1 per Snap Pack)

Female Coupler - High Flow

Fits: **Case/IH:** 5120, 5130, 5140, 5220, 5230, 5240, 5250
Replaces: S.130752, S.130753, 93177C5



Female ½" Body x 7/8" JIC Male Bulkhead

S.166070 (Bulk each)

S.166071 (1 Set per Snap Pack)

NPT THREAD MALE TIPS

Male Tip

Ball style sealing. Will work with ball or poppet style couplers.

½" Body Size
½" NPT - Female Thread

Replaces: Pioneer 8010-4

S.118897 (Bulk each)

S.118956 (2 per Snap Pack)



Male Tip

Ball style

1" Body Size
1" NPT - Female Thread

Replaces: Pioneer 4010-6P

S.153944 (Bulk each)



Male Tip

Poppet style w/ pressure relief valve to allow coupling when tip has residual pressure.



1/2" Body Size
1/2" NPT - Female Thread

Replaces: Pioneer 8010-4P-DC

S.118898 (Bulk each)

S.118957 (2 per Snap Pack)

Male Tip

Poppet style for improved sealing.

1/2" Body Size
1/2" NPT - Female Thread

Replaces: Pioneer 8010-4P

S.118895 (Bulk each)

S.118955 (2 per Snap Pack)

3/8" Body Size
3/8" NPT - Female Thread

Replaces: Pioneer 8010-3P

S.147837 (Bulk each)

S.147838 (2 per Snap Pack)

3/4" - 16 O-RING BOSS THREAD MALE TIPS

Male Tip

Poppet style for improved sealing.
Fits: **John Deere**
Replaces: AR94522



1/2" Body Size
3/4"-16 O-Ring - Female Thread

Replaces: Pioneer 8010-15P

S.118899 (Bulk each)

S.118958 (2 per Snap Pack)

Male Tip

Poppet style w/ pressure relief valve to allow coupling when tip has residual pressure.

1/2" Body Size
3/4"-16 O-Ring - Female Thread

Replaces: Pioneer 8010-15P-DC

S.118900 (Bulk each)

S.118959 (2 per Snap Pack)

OEM FLAT-FACE COUPLERS

Pressure Must Be Relieved Before Coupling Or Un-coupling!

All Faster Flat Face Couplers are rated at 5,000 PSI Operating Pressure and have a 4:1 Safety Factor!

Flat Face Male Tip

Deere Skid-Steer Attachments
Fits: **John Deere**
Replaces: KV18265



1/2" Body Size
3/4" BSP Female Thread

S.112694 (Bulk each)

Flat Face Coupler Body

Fits: **Bobcat Skidsteer:** 763, 773, 853, 863, 864, 873, 963, 7753, **Tractor Loader Backhoe:** B100, B200, B250, B300, BL275, BL370, BL375, BL470, B475, B570, B575, **Escavator:** 320, 322, 323, 325, 328, 329, 331, 334, 335, 337, 341, 425, 428, 430, 435, E17, E32, E32I, E35, E35I, E42, E44, E55, E55W, E57W, E60, E62, E63, E80, E85
Replaces: 7246790



1/2" Body Size
1 1/16" O-Ring Thread - Female

S.129789 (Bulk each)

Flat Face Coupler Tip

Fits: **Bobcat Skidsteer:** 763, 773, 853, 863, 864, 873, 963, 7753, **Tractor Loader Backhoe:** B100, B200, B250, B300, BL275, BL370, BL375, BL470, B475, B570, B575, **Escavator:** 320, 322, 323, 325, 328, 329, 331, 334, 335, 337, 341, 425, 428, 430, 435, E17, E32, E32I, E35, E35I, E42, E44, E55, E55W, E57W, E60, E62, E63, E80, E85
Replaces: 7246777



1/2" Body Size
1 1/16" O-Ring Thread - Female

S.129788 (Bulk each)

Flat Face Female Coupler

Max Flow Rate 12.15 GPM, Working pressure 5075 PSI, Nickel Plated



3/8" Body Size
3/8" Female NPT Thread

S.170492 (Bulk each)

Flat Face Male Tip

Max Flow Rate 12.15 GPM, Working pressure 5075 PSI, Nickel Plated



3/8" Body Size
3/8" Female NPT Thread

S.170494 (Bulk each)



Flat Face Female Coupler

Max Flow Rate 12.15 GPM,
Working pressure 5075 PSI, Nickel
Plated

Fits: **Ford NH:** B110C, B95C, C238, C245, C334,
C338, L160, L170, L230, L234, L330, L334, L565,
L865, LS160, LS170, LS180, LS190, LX565, LX665,
LX885, LX985, T8.350, T8.360, T8.380, T8.390,
T8.410, T8.420, T8.435, T9.435, T9.480, T9.530,
T9.565, T9.600, T9.645, T9.700, T9020, T9030,
T9040, T9050, T9060, TJ275, TJ280, TJ325, TJ330,
TJ375, TJ380, TJ425, TJ430, TJ450, TJ480, TJ500,
TJ530 **Kubota:** LA434, LA435
Replaces: 8599238, 385357A1, 861-543C



3/8" Body Size
3/4"-16 ORB Thread

S.170493 (Bulk each)



Flat Face Male Tip

Max Flow Rate 12.15 GPM,
Working pressure 5075 PSI, Nickel
Plated

Fits: **Ford NH:** B110C, B95C, C238, C245,
C334, C338, L160, L170, L230, L234, L330,
L334, L565, L865, LS160, LS170, LS180, LS190,
LX565, LX665, LX885, LX985, T8.350, T8.360,
T8.380, T8.390, T8.410, T8.420, T8.435,
T9.435, T9.480, T9.530, T9.565, T9.600,
T9.645, T9.700, T9020, T9030, T9040, T9050,
T9060, TJ275, TJ280, TJ325, TJ330, TJ375, TJ380,
TJ425, TJ430, TJ450, TJ480, TJ500, TJ530
Kubota: LA434, LA435
Replaces: 8599239, 3855358A1, 841-099C



3/8" Body Size
3/4"-16 ORB Thread

S.170495 (Bulk each)

FLAT-FACE COUPLERS & TIPS

Pressure Must Be Relieved Before Coupling Or Un-coupling!

All Faster Flat Face Couplers are rated at 5,000 PSI Operating Pressure and have a 4:1 Safety Factor!

Female Coupler - Flat Face

Hexagon End for easier tightening.
Zinc-Nickel plating for greater corrosion
resistance. With twist Locking Collar to
prevent accidental un-coupling.



1/2" Body Size
1/2" NPT - Female Thread
Replaces: Pioneer FEM-501-8FP, FEM-501-8FP-NL

S.118901 (1 per Snap Pack)

Male Tip - Flat Face

Large Hexagon End for easier tightening.
Zinc-Nickel plating for greater corrosion
resistance.



1/2" Body Size
1/2" NPT- Female Thread
Replaces: Pioneer FEM-502-8FP

S.118902 (1 per Snap Pack)

Female Coupler - Flat Face

Hexagon End for easier tightening.
Zinc-Nickel plating for greater corrosion
resistance. With twist Locking Collar to
prevent accidental un-coupling.



1/2" Body Size
1 1/16"-12 O-Ring - Female Thread
Replaces: Pioneer FEM-501-12FO, FEM-501-12FO-NL

S.118903 (1 per Snap Pack)

Male Tip - Flat Face

Large Hexagon End for easier tightening.
Zinc-Nickel plating for greater corrosion
resistance.



1/2" Body Size
1 1/16"-12 O-Ring - Female Thread
Replaces: Pioneer FEM-502-12FO

S.118904 (1 per Snap Pack)

Female Coupler - Flat Face

Hexagon End for easier tightening.
Zinc-Nickel plating for greater corrosion
resistance. With twist Locking Collar to
prevent accidental un-coupling.



3/4" Body Size
1 1/16"-12 O-Ring - Female Thread
Replaces: Pioneer FEM-751-12FO, FEM-751-
12FO-NL

S.118905 (1 per Snap Pack)

Male Tip - Flat Face






Large Hexagon End for easier tightening.
Zinc-Nickel plating for greater corrosion
resistance.



3/4" Body Size
1 1/16"-12 O-Ring - Female Thread
Replaces: Pioneer FEM-752-12FO

S.118906 (1 per Snap Pack)

DUST COVERS & PLUGS

	PVC Dust Cover - Std 1/2" Male Tips					
	Black	Orange	Blue	Red	Green	Yellow
	(Bulk each)					
	S.112764	S.112762	S.112761	S.112765	S.112766	S.112763
	(2 per Snap Pack)					
	S.119908	S.119909	S.119910	S.119911	S.119913	S.119912
	PVC Dust Cover - Std 3/8" Male Tips					
	Black	Orange	Blue	Red	Green	Yellow
	(Bulk each)					
	-	-	S.147849	S.147851	S.147852	S.147850
(2 per Snap Pack)						
-	-	S.147853	S.147855	S.147856	S.147854	
	PVC Dust Plug - Std 1/2" Female Couplers					
	Black	Orange	Blue	Red	Green	Yellow
	(Bulk each)					
	S.112780	S.112778	S.112777	S.112781	S.112782	S.112779
	(2 per Snap Pack)					
	S.119914	S.11915	S.119916	S.119917	S.119919	S.119918
	PVC Dust Plug - Std 3/8" Female Couplers					
	Black	Orange	Blue	Red	Green	Yellow
	(Bulk each)					
	-	-	S.147841	S.147843	S.147844	S.147842
(2 per Snap Pack)						
-	-	S.147845	S.147847	S.147848	S.147846	
PVC Dust Cover - Flat Face Male Tips (1 per Snap Pack)						
	S.113090	Orange	1/2" Body Tip		S.113092	Orange
						3/4" Body Tip
PVC Dust Cover - Flat Face Female Coupler (1 per Snap Pack)						
	S.113091	Orange	1/2" Body Female Coupler		S.113093	Orange
						3/4" Body Female Coupler
PVC Dust Cover - Snap Shut/Spring Loaded						
	For use only with OEM Style S.167117 and 166050 coupler.					
	Black	Blue	Red	Green	Brown	Yellow
	(Bulk each)					
	S.112752	S.112749	S.112753	S.112754	S.112751	S.112750
	(2 per Snap Pack)					
	S.119920	S.119921	S.119922	S.119924	S.119925	S.119923