Contact Sheet



Europe

Austria Tel: + 43 4212 6400 Sparex Austria Muraunberger Str Hurzendorf 9300



Italy

Tel: + 43 4212 6400 Sparex Austria Muraunberger Str Hurzendorf 9300



Portugal

Tel: +351 261 311107 Sparex Portugal, Importação e Comércio de Peças,Lda. Lugar da Espera 2565-716 Runa.



Belgium / Lux

Tel: + 32 58235140 Sparex Belgium Bvba Toevluchtweg 9 B-8620 Nieuwpoort



Tel: + 49 4282 93100 Sparex Germany Hansestrasse 03 Sittensen 27419



Netherlands

Tel: + 31 235 841 020 Sparex Holland BV Luzernestraat 19N 2153 GM Nieuw-Vennep



Tel: + 349 451 33524 Sparex Agrirepuestos, S.L. C/Jose Maria Iparraguirre No.15 B 01006 Vitoria-Gasteiz (Alava)



Canada Tel: + 905 786 277 Sparex Canada Highway No. 2 On Newcastle L1b 119





Tel: + 61 298 205 777 Sparex Australia Pty Ltd 81-83 Strzelecki Avenue, Sunshine West, VIC 3020



Tel: + 1 330 562 8150 Sparex US PO Box 510 Aurora, OH 44202



New Zealand

Tel: + 64 9634 4121 4 Princes Street Onehunga, Auckland 1345





Poland Tel: +48 61 816 19 37 61-168 ul. Rataje 164, Poznań



Africa



Cape branch 35 George Blake St, Plankenburg Stellenbosch 7600

KZN branch 59 Marseilles crescent Briardene Durban 4001

Sparex Export Markets

Export

Tel: +44 1392 441314 Sparex Limited Exeter Airport Devon Exeter EX5 2LJ

www.sparex.com

SAFETY DATA SHEET



Section 1. Identification

AGCO Corporation 4205 River Green Parkway Duluth, GA 30096 Product name : Legacy Heavy Duty SAE 10W-30, 15W-40		Transportation Emergency (CHEMTREC) Technical Information	:	1-800-424-9300 1-770-813-9200
		SDS Information	:	1-770-813-9200
		SDS no.	:	1518-044513.HL
Common name	: Diesel Engine Oil 10W-30, 15W-40	Revision date	:	08/25/2017
Chemical name : Lubricating oil.		Chemical formula	:	Mixture
Chemical family	: Hydrocarbon.			

Relevant identified uses of the substance or mixture and uses advised against

Lubricant.

I

Section 2. Hazards identification

OSHA/HCS status	:	This material i	s considered	hazardous	by the OSHA Hazard	Comm	nunication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	SERIOUS EY	e damage/ i	EYE IRRIT	ATION - Category 2A		
GHS label elements							
Signal word	:	Warning					
Hazard statements	:	Causes seriou	is eye irritatioi	n.			
Precautionary statements							
General	:	Read label be label at hand.	fore use. Kee	ep out of re	each of children. If mee	dical a	dvice is needed, have product container or
Prevention	:	Wear eye or fa	ace protection	. Wash h	ands thoroughly after h	andlin	g.
Response	:				ater for several minutes persists: Get medical a		nove contact lenses, if present and easy to n.
Storage	:	Not applicable					
Disposal	:	Not applicable					
Hazards not otherwise classified (HNOC)	:	None known.					
Hazardous Material Information Sy	ste	m (U.S.A.)	Health :	1	Flammability :	1	Physical hazards: 0
National Fire Protection Association	on (I	U.S.A.)	Health :	1	Flammability :	1	Instability: 0
	:	Section 3. C	ompositio	n/inforr	mation on ingred	ients	

Substance/mixture	rure : Mixture						
Chemical name	: Lubricating oil.						
Other means of identification	: Diesel Engine Oil 10W-30, 15W-40						
Ingredient name		%	CAS number				
Phosphorodithioic acid, mixed O,O	-bis(sec-Bu and isooctyl) esters, zinc salts	1 - 5	113706-15-3				

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid	1 measures
Eye contact	: If material comes in contact with the eyes, immediately wash the eyes with large amounts of water for 15
	minutes, occasionally lifting the lower and upper lids. Get medical attention.
Inhalation	: If person breathes in large amounts of material, move the exposed person to fresh air at once. If breathing has
	stopped, perform artificial respiration. Keep the person warm and at rest. Get medical attention as soon as possible.
Skin contact	: If the material comes in contact with the skin, wash the contaminated skin with soap and water promptly. If the
	material penetrates through clothing, remove the clothing and wash the skin with soap and water promptly. If
	irritation persists after washing, get medical attention immediately.
Ingestion	: If material has been swallowed, do not induce vomiting. Get medical attention immediately.
Most important symptoms/effect	s, acute and delayed
Potential acute health effects	
Eye contact	: Causes serious eye irritation.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: Irritating to mouth, throat and stomach.
Over-exposure signs/symptom	<u>s</u>
Eye contact	: Adverse symptoms may include the following: pain or irritation, watering, redness.
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation, coughing.
Skin contact	: Adverse symptoms may include the following: irritation, redness.
Ingestion	: No known significant effects or critical hazards.
Indication of immediate medica	al attention and special treatment needed, if necessary
Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested
Specific treatments	or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
See toxicological information (Section 11)
	Section 5. Fire-fighting measures
Extinguishing media	

Suitable extinguishing media	: Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or water spray (fog) to extinguish fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: Toxic fumes gases or vapors may evolve on burning.
Hazardous thermal decomposition products	: No specific data.
Special protective actions for fire-fighters	 When fighting fires wear full turnout gear and self contained breathing apparatus. Water may cause splattering. Material floats on water.
Special protective equipment for fire-fighters	: Not applicable.
	Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. Methods and materials for containment and cleaning up

Spill

: Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry chemical absorbent; large spills may require pump or vacuum prior to absorbent. May require excavation of severely contaminated soil.

Section 7. Handling and storage

Precautions for safe handling	
Protective measures	: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking.
Conditions for safe storage, including any incompatibilities	: Do not store above the following temperature: 113°C (235.4°F). Odorous and toxic fumes may form from the decomposition of this product if stored at excessive temperatures for extended periods of time. Store in accordance with local regulations. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Use appropriate containment to avoid environmental contamination.
	Section 8. Exposure controls/personal protection
	Section 8. Exposure controls/personal protection
Control parameters	Section 8. Exposure controls/personal protection
<u>Control parameters</u> <u>Occupational exposure limits</u>	Section 8. Exposure controls/personal protection
· ·	Section 8. Exposure controls/personal protection
Occupational exposure limits	Section 8. Exposure controls/personal protection : Use only with adequate ventilation.
Occupational exposure limits None.	
Occupational exposure limits None. Appropriate engineering controls	 Use only with adequate ventilation. Emissions from ventilation or work process equipment should be checked to ensure they comply with the
Occupational exposure limits None. Appropriate engineering controls Environmental exposure controls	 Use only with adequate ventilation. Emissions from ventilation or work process equipment should be checked to ensure they comply with the

:	4 - 8 hours (breakthrough time): Nitrile gloves.

- : Recommended: Long sleeved coveralls.
 - : Recommended: Impervious boots.

Skin protection Hand protection Body protection

Other skin protection

Respiratory protection

: If ventilation is inadequate, use a NIOSH-certified respirator with an organic vapor cartridge and P95 particulate filter.

Section 9. Physical and chemical properties

Appearance		Relative density	: 0.88 to 0.89
Physical state	: Liquid.	Evaporation rate	: <1 (Butyl acetate = 1)
Color	: Amber.	Solubility	: Insoluble in the following materials: cold water and hot water.
Odor	: Mild.	Solubility in water	: Insoluble
Odor threshold	: Not available.	Partition coefficient: n-	: Not available.
рН	Not available.	octanol/water	
Melting point	: Not available.	Auto-ignition temperature	: >260°C (>500°F)
Boiling point	: Not available.	Decomposition temperature	: Not available.
Flash point	: Closed cup: >205°C (>401°F)	SADT	: Not available.
Flammability	: Not available.	Viscosity	: Not available.
Lower and upper	: Not available.	Vapor pressure	: <0.13 kPa (<1 mm Hg) (68°F)
explosive (flammable) limits		Vapor density	: Not available.

Section 10. Stability and reactivity

Reactivity Chemical stability Possibility of hazardous reactions	:	No specific test data related to reactivity available for this product or its ingredients. The product is stable. Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid Incompatible materials Hazardous decomposition products	::	No specific data. Reactive or incompatible with the following materials: oxidizing materials. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Phosphorodithioic acid, mixed O,O- bis(sec-Bu and isooctyl) esters, zinc salts	LD50 Dermal	Rat	>3160 mg/kg	-
5005	LD50 Oral	Rat	2600 mg/kg	-
Irritation/Corrosion		<u>.</u>		
Skin	: There is no data available.			
Eyes	: There is no data available.			
Respiratory	: There is no data available.			
<u>Sensitization</u>				
Skin	: There is no data available.			
Respiratory	: There is no data available.			
Mutagenicity				
There is no data available.				
Carcinogenicity				
There is no data available.				
Reproductive toxicity				
There is no data available.				
<u>Teratogenicity</u>				
There is no data available.				
Specific target organ toxicity (single	<u>e exposure)</u>			
There is no data available.				
Specific target organ toxicity (repea	ated exposure)			
There is no data available.				
Aspiration hazard				
There is no data available.				
Information on the likely routes of exposure	: Dermal contact. Eye contact. Inh	alation. Ingestion.		
	Section 12. Eco	ogical information		

<u>Toxicity</u>

: There is no data available.
: No known significant effects or critical hazards.

isposal methods : Disp	osal of this pro	duct, sol	utions and	d any by	-products	s should	d comply with	the requirements	of environment
prote	ection and was	te dispos	al legislat	tion and	any regio	onal loc	al authority re	equirements.	
	Section	on 14. 1	Franspo	ort info	ormatio	on			
OT IDENTIFICATION NUMBER Not applicat	ole. C	OOT prop	oer shipp	ing nan	e No	ot applie	cable.		
OT Hazard Class(es) Not applicable.	F	'G Not	applicabl	le.	D		ER. RESPON	SE GUIDE NO. N	ot applicable
	Sectio	n 15. R	Regulate	ory inf	ormati	on			
S. Federal regulations : TSC.	A 8(a) PAIR: [)inhenvla	mine	_					
5	A 8(a) CDR E			mption:	Not dete	rmined			
Unit	ed States invo	entory (T	SCA 8b):	At leas	one con	nponen	t is not listed.		
							O,O-bis(sec-l	Bu and isooctyl) es	sters, zinc salts
	zene; antimony n Water Act (•	• •	,			
		,.		,,					
an Air Act Section 602 Class I Substances	: Not list	ted	DEA Li	st I Che	micals (Precur	sor Chemica	I IS) : Not	listed
an Air Act Section 602 Class II Substances	: Not list	ted	DEA Li	st II Ch	micals	(Essen	tial Chemica	ls) : Not	listed
an Air Act Section 112(b) Hazardous Air Pol	lutants (HAP	s) :	Not list	ed					
SARA 302/304									
Composition/information on ingredients									
		1	i						
					SARA 3	802 TPC	2	SARA 304 R	Q
Name		%		EHS	(lbs)		(gallons)	(lbs)	(gallons)
Ethylenediamine		0 - 0.1		Yes.	10000		1337.1	5000	668.5
SARA 304 RQ : 8478	0249.6 lbs / 3	8490233.	3 kg [114	89315.2	gal / 434	191789.	1 L]		
SARA 311/312									
Hazard classifications : Imm	ediate (acute)	health ha	zard						
Composition/information on ingredients									
Name	%		Fire	Sudd	<u></u>	Bo	active	Immediate	Delayed
Name	70		hazard	relea		I.e	active	(acute) health	(chronic)
				press	ure			hazard	health hazar
Phosphorodithioic acid, mixed O,O-bis(sec-E and isooctyl) esters, zinc salts	3u 1-5		No.	No.		No		Yes.	No.
SARA 313 : This								uirements of SAR	A Section 313
the E	mergency Pla		d Commu	, ,	nt-To-Kno	ow Act	of 1986 and c	of 40 CFR 372.]	
Zinc compounds			Aixture			3 as Zir	IC	-	
SADA 212 potifications must act be data the	from the ODO	ond cro	ooniee		stribti	of the - 1			odiotribution -
SARA 313 notifications must not be detached the notice attached to copies of the SDS subs			copying a	and redi	SITIDUTION	or the s	snaii inc פעפ	iuue copying and i	
ate regulations									
lassachusetts : The	following comp	onents a	are listed:	Distillate	es (petrol	eum), h	ydrotreated li	ight paraffinic	
New York : None	e of the compo	nents are	e listed.						

New York	: None of the components are listed.
New Jersey	: The following components are listed: Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc salts; Distillates (petroleum), hydrotreated heavy paraffinic; Distillates (petroleum), hydrotreated light paraffinic
Pennsylvania	: The following components are listed: Phosphorodithioic acid, mixed O,O-bis(sec-Bu and isooctyl) esters, zinc salts
California Prop. 65	: WARNING: This product contains less than 0.1% of a chemical known to the State of California to cause cancer.

WARNING: This product contains less than 1% of a chemical known to the State of California to cause birth defects or other reproductive harm.

Ingredient name	Cancer	Reproductive	 Maximum acceptable dosage level
Benzene	Yes.		24 μg/day (ingestion) 49 μg/day (inhalation)

Section 16. Other information

Revision date	: 08/25/2017	Supersedes : NA
Revised Section(s)	: NA	Prepared by : KMK Regulatory Services Inc.

Notice to reader THE INFORMATION CONTAINED IN THIS SDS RELATES ONLY TO THE SPECIFIC MATERIAL IDENTIFIED. IT DOES NOT COVER USE OF THAT MATERIAL IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY PARTICULAR PROCESS. IN COMPLIANCE WITH 29 C.F.R. 1910.1200(g), AGCO HAS PREPARED THIS SDS IN SEGMENTS, WITH THE INTENT THAT THOSE SEGMENTS BE READ TOGETHER AS A WHOLE WITHOUT TEXTUAL OMISSIONS OR ALTERATIONS. AGCO BELIEVES THE INFORMATION CONTAINED HEREIN TO BE ACCURATE, BUT MAKES NO REPRESENTATION, GUARANTEE, OR WARRANTY, EXPRESS OR IMPLIED, ABOUT THE ACCURACY, RELIABILITY, OR COMPLETENESS OF THE INFORMATION OR ABOUT THE FITNESS OF CONTENTS HEREIN FOR EITHER GENERAL OR PARTICULAR PURPOSES. PERSONS REVIEWING THIS SDS SHOULD MAKE THEIR OWN DETERMINATION AS TO THE MATERIAL'S SUITABILITY AND COMPLETENESS FOR USE IN THEIR PARTICULAR APPLICATIONS.