# **Contact Sheet**



### **Europe**

Austria Tel: + 43 4212 6400 Sparex Austria Muraunberger Str Hurzendorf 9300



## Italy

Tel: + 43 4212 6400 Sparex Austria Muraunberger Str Hurzendorf 9300



Portugal

Tel: +351 261 311107 Sparex Portugal, Importação e Comércio de Peças,Lda. Lugar da Espera 2565-716 Runa.



Belgium / Lux

Tel: + 32 58235140 Sparex Belgium Bvba Toevluchtweg 9 B-8620 Nieuwpoort



Tel: + 49 4282 93100 Sparex Germany Hansestrasse 03 Sittensen 27419



Netherlands

Tel: + 31 235 841 020 Sparex Holland BV Luzernestraat 19N 2153 GM Nieuw-Vennep



Tel: + 349 451 33524 Sparex Agrirepuestos, S.L. C/Jose Maria Iparraguirre No.15 B 01006 Vitoria-Gasteiz (Alava)



Canada Tel: + 905 786 277 Sparex Canada Highway No. 2 On Newcastle L1b 119





Tel: + 61 298 205 777 Sparex Australia Pty Ltd 81-83 Strzelecki Avenue, Sunshine West, VIC 3020



Tel: + 1 330 562 8150 Sparex US PO Box 510 Aurora, OH 44202



New Zealand

Tel: + 64 9634 4121 4 Princes Street Onehunga, Auckland 1345





Poland Tel: +48 61 816 19 37 61-168 ul. Rataje 164, Poznań



## Africa



Cape branch 35 George Blake St, Plankenburg Stellenbosch 7600

KZN branch 59 Marseilles crescent Briardene Durban 4001

## **Sparex Export Markets**

Export

Tel: +44 1392 441314 Sparex Limited Exeter Airport Devon Exeter EX5 2LJ

www.sparex.com

**SAFETY DATA SHEET** 



#### Section 1. Identification

AGCO Corporation 4205 River Green Parkway Duluth, GA 30096		Transportation Emergency (CHEMTREC) Technical Information	:	1-800-424-9300 1-770-813-9200
		SDS Information	:	1-770-813-9200
Product name	: Legacy Hydrostatic Multi-Viscosity ISO 46	SDS no.	:	1520-753525.HL
Common name	: Hydraulic/transmission fluid.	Revision date	:	08/25/2017
Chemical name	: Lubricating oil.	Chemical formula	:	Mixture
Chemical family	: Hydrocarbon.			

#### Relevant identified uses of the substance or mixture and uses advised against

Not available.

#### Section 2. Hazards identification

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.						
Classification of the substance or mixture	:	Not classified.						
GHS label elements								
Signal word	:	No signal word	l.					
Hazard statements	:	No known sign	ificant effects of	or criti	cal ł	nazards.		
Precautionary statements								
General	:	Read label befilabel at hand.	ore use. Keep	out o	f rea	ach of children. If med	dical a	dvice is needed, have product container or
Prevention	:	Not applicable.						
Response	:	Not applicable.						
Storage	:	Not applicable.						
Disposal	:	Not applicable.						
Hazards not otherwise classified (HNOC)	:	None known.						
Hazardous Material Information Sy	stei	m (U.S.A.)	Health :	1	*	Flammability :	1	Physical hazards: 0
National Fire Protection Associatio	n (l	J.S.A.)	Health :	1		Flammability :	1	Instability: 0
	ę	Section 3. C	ompositior	n/info	orm	ation on ingredi	ients	6

Substance/mixture	: Mixture
Chemical name	: Lubricating oil.
Other means of identification	: Hydraulic/transmission fluid.
Any concentration shown as a range	e is to protect confidentiality or is due to batch variation.

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

#### Section 4. First aid measures

Skin contact       ::       If the material comes in contact with the skin, wash the contaminated skin with scap and water promptly. Imaterial has been swallowed, do not increave the dohing and wash the skin with scap and water promptly.         Ingestion       ::       If material comes in contact with the skin, wash the contaminated skin with scap and water promptly.         Most important symptoms/effects.       ::       If material has been swallowed, do not induce vonting. Get medical attention immediately.         Most important symptoms/effects.       ::       No known significant effects or critical hazards.         Inhalation       ::       No known significant effects or critical hazards.         Skin contact       ::       No known significant effects or critical hazards.         Inhalation       ::       No known significant effects or critical hazards.         Over-exposure signs/symptoms       ::       Vere contact       ::       Adverse symptoms may include the following: respiratory tract irritation, coughing.         Skin contact       ::       Adverse symptoms may include the following: respiratory tract irritation, coughing.         Indication of immediate medical attention and special treatment needed. If necessary       Notes to hysician       ::       Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been in or infield.         Specific treatments       ::       No section shall be taken involving any personal risk or without suitable tra	Description of necessary first aid meas	ures				
Inhalation       : If person breathes in large amounts or material, more the exposed person to fresh air at once. If breathing stopped, perform artifical registration. Keep the person warm and at rest. Get medical attention as soon at possible.         Skin contact       : If the material comes in contact with the skin, wash the contaminated skin with scap and water promptly intration presists after washing, get medical attention immediately.         Mass Important symptoms/offects.acute and delayed       Immaterial penetrates through clothing, remove the clothing. Get medical attention immediately.         Byselin contact       : No known significant effects or critical hazards.         Eye contact       : No known significant effects or critical hazards.         Inhalation       : No known significant effects or critical hazards.         Outer attemption       : Adverse symptoms may include the following: pain or irritation, watering, redness.         Inhalation       : Adverse symptoms may include the following: respiratory tract irritation, coughing.         Skin contact       : Adverse symptoms may include the following: respiratory tract irritation, coughing.         Skin contact       : Adverse symptoms may include the following: respiratory tract irritation, coughing.         Skin contact       : No action shall be taken involving any personal risk or without suitable training.         Section of first-aldors       : No action shall be taken involving any personal risk or without suitable training.         Suitable extinguishing media       :: Use wate	Eye contact :					
Skin contact       : if the material comes in contact with the skin, wash the contaminated skin with scap and water promptly. I material periates through clothing, remove the clothing and wash the skin with scap and water promptly. I material has been swallowed, do not induce vomiting. Get medical attention immediately.         Most important symptoms/ffects. acute and delayed       Eye contact       : No known significant effects or critical hazards.         Skin contact       : No known significant effects or critical hazards.       Skin contact       : No known significant effects or critical hazards.         Operation       : No known significant effects or critical hazards.       Skin contact       : No known significant effects or critical hazards.         Operation       : No known significant effects or critical hazards.       Skin contact       : Adverse symptoms may include the following: reprintory tract irritation, coughing.         Skin contact       : Adverse symptoms may include the following: reprintory tract irritation, coughing.       Skin contact       : Adverse symptoms may include the following: reprintory tract irritation, coughing.         Skin contact       : Adverse symptoms may include the following: irritation, watering, redness.       Inhibitot         Indication of immediate medical attention and special treatment needed. If necessary       Notes to physician       : Tract symptomatically. Contact poison treatment specialist immediately if large quantities have been ing or inhibitot.         Specific treatments       : No specific treatment.       Protection of f	Inhalation :	erson breathes in large amounts of material, move the exposed person to fresh air at once. If breathing has pped, perform artificial respiration. Keep the person warm and at rest. Get medical attention as soon as				
Ingestion : I material has been swallowed, do not induce vomiting. Get medical attention immediately. dest important symptoms/effects.acute and delayed Potential acute health effects Eye contact : No known significant effects or critical hazards. Inhalation : No known significant effects or critical hazards. Ingestion : No known significant effects or critical hazards. Over exposure signs/symptoms Eye contact : Adverse symptoms may include the following: pain or initiation, watering, redness. Inhalation : Adverse symptoms may include the following: irritation, coughing. Skin contact : Adverse symptoms may include the following: irritation, coughing. Skin contact : Adverse symptoms may include the following: irritation, coughing. Skin contact : Adverse symptoms may include the following: irritation, coughing. Skin contact : Adverse symptoms may include the following: irritation, coughing. Skin contact : Adverse symptoms may include the following: irritation, edness. Ingestion : No known significant effects or critical hazards. Indication of immediate medical attention and special treatment needed. If necessary Notes to physician : Treat symptomatically. Contact polson treatment specialist immediately if large quantities have been ing or inhaled. Specific treatments : No second shall be taken involving any personal risk or without suitable training. See toxicological information (Section 11) Section 5. Fire-fighting measures Extinguishing media : Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or water spray (tog) to extinguish fire. Specific hazards arising from the chemical : Toxic fumes gases or vapors may evolve on burning. Hazardous thermal decomposition products : No specific data. Specifin protective actions for fire-fighters : Not applicable. Section 6. Accidental release measures Section 7. Accidental release measures Section 7. Accidental release measures Section 7. Handling and storage	Skin contact :	If the material comes in contact with the skin, wash the contaminated skin with soap and water promptly. If the material penetrates through clothing, remove the clothing and wash the skin with soap and water promptly. If				
Potential acute health effects         Eye contact       :       No known significant effects or critical hazards.         Inhalation       :       No known significant effects or critical hazards.         Skin contact       :       No known significant effects or critical hazards.         Over-exocurs signs/symptoms       :       No known significant effects or critical hazards.         Skin contact       :       Adverse symptoms may include the following: respiratory tract irritation, coughing.         Skin contact       :       Adverse symptoms may include the following: irrespiratory tract irritation, coughing.         Skin contact       :       Adverse symptoms may include the following: irrespiratory tract irritation, coughing.         Skin contact       :       Adverse symptoms may include the following: irrespiratory tract irritation, coughing.         Skin contact       :       Adverse symptom sup include the following: irritation, redness.         Ingestion       :       No known significant effects or critical hazards.         Indication of immediate medical attention and special treatment needed. If necessary       Notes to physician         Specific treatments       :       No acotion shall be taken involving any personal risk or without suitable training.         Specific treatments       :       No acotion shall be taken involving any evolve on burning.         Suitable extinguishing medi	Ingestion :					
Inhalation       : No known significant effects or critical hazards.         Skin contact       : No known significant effects or critical hazards.         Ingestion       : No known significant effects or critical hazards.         Over-exposure signs/symptoms       Eye contact       : Adverse symptoms may include the following: expiratory tract irritation, coughing.         Inhalation       : Adverse symptoms may include the following: expiratory tract irritation, coughing.       Skin contact         Skin contact       : Adverse symptoms may include the following: expiratory tract irritation, coughing.         Skin contact       : Adverse symptoms may include the following: expiratory tract irritation, coughing.         Skin contact       : Adverse symptoms may include the following: expiratory tract irritation, coughing.         Skin contact       : Adverse symptoms may include the following: expiratory tract irritation, coughing.         Skin contact       : No known significant effects or critical hazards.         Indication of immediate attention and special treatment needed. If necessary       Notes to physician         Specific treatments       : No schoon slight backen involving any personal risk or without suitable training.         See toxicological information (Section 11)       Section 5. Fire-fighting measures         Suitable extinguishing media       : Nose known.         Specific treatment for the chemical       : Noke nown. <td< th=""><th></th><th><u>e and delayed</u></th></td<>		<u>e and delayed</u>				
Skin contact       : No known significant effects or critical hazards.         Ingestion       : No known significant effects or critical hazards.         Over-exposure signa/symptoms       Eye contact       : Adverse symptoms may include the following: respiratory tract initiation, coughing.         Skin contact       : Adverse symptoms may include the following: irrepiratory tract initiation, coughing.         Skin contact       : Adverse symptoms may include the following: irrepiratory tract initiation, coughing.         Skin contact       : Adverse symptoms may include the following: irrepiratory tract initiation, coughing.         Skin contact       : Adverse symptoms may include the following: irrepiratory tract initiation, coughing.         Indiation of immediate medical attention and special treatment needed. If necessary         Notes to physician       : Tract symptomatically. Contact poison treatment specialist immediately if large quantities have been ing or inhaled.         Specific treatments       : No action shall be taken involving any personal risk or without suitable training.         See toxicological information (Section 11)       Section 5. Fire-fighting measures         Stutiable extinguishing media       : Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or water spray (fog) to extinguish fire.         Specific hazards arising from the chemical       : No neo known.         Specific hazards arising from the chemical       : No specific data.	Eye contact :	No known significant effects or critical hazards.				
Ingestion       :       No known significant effects or critical hazards.         Overexposure signs/symptoms       .       Adverse symptoms may include the following: pain or irritation, watering, redness.         Inhalation       :       Adverse symptoms may include the following: irritation, redness.         Ingestion       :       Adverse symptoms may include the following: irritation, redness.         Ingestion       :       No known significant effects or critical hazards.         Indication of immediate medical attention and special treatment needed. If necessary       .         Notes to physician       :       : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ing or inhaled.         Specific treatments       :       No specific treatment.         Protection of first-aiders       :       No action shall be taken involving any personal risk or without suitable training.         See toxicological information (Section 11)       :       Section 5. Fire-fighting measures         Extinguishing media       :       :       Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or water spray (fog) to extinguish fire.         Unsuitable extinguishing media       :       :       Nos known.         Specific treatment for fire-fighters       :       No specific data.         Specifio treations for fire-fighters       :<						
Over-exposure signs/symptoms           Eye contact         : Adverse symptoms may include the following: pain or irritation, watering, redness.           Inhalation         : Adverse symptoms may include the following: respiratory tract irritation, coughing.           Skin contact         : Adverse symptoms may include the following: respiratory tract irritation, coughing.           Indication of immediate medical attention and special treatment needed. if necessary           Notes to physician         : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ing or inhaled.           Specific treatments         : No specific treatment.           Protection of first-aiders         : No action shall be taken involving any personal risk or without suitable training.           See toxicological information (Section 11)         Section 5. Fire-fighting measures           Suitable extinguishing media         : Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or water spray (tog) to extinguish fire.           Specific hazards arising from the chemical         : Toxic fumes gases or vapors may evolve on burning.           Adaret Spray (for equipment of fire-fighters         : Not specific data.           Specific preatures for fire-fighters         : Not applicable.           Specific neares arising from the chemical         : Toxic fumes gases or vapors may evolve on burning.           Adaretous thermal decomposition products         : N						
Eye contact       : Adverse symptoms may include the following: pain or irritation, watering, redness.         Inhalation       : Adverse symptoms may include the following: respiratory tract irritation, coughing.         Skin contact       :: Adverse symptoms may include the following: irritation, redness.         Ingestion       : No known significant effects or critical hazards.         Indication of Immediate medical attention and special treatment needed. If necessary         Notes to physician       : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ing or inhaled.         Specific treatments       : No specific treatment.         Protection of first-aiders       : No action shall be taken involving any personal risk or without suitable training.         See toxicological information (Section 1)       Section 5. Fire-fighting measures         Suitable extinguishing media       : Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or water spray (fog) to extinguish fire.         Unsuitable extinguishing media       : Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or water spray (fog) to extinguish fire.         Specific hazards arising from the chemical       : Toxic fumes gases or vapors may evolve on burning.         tazardous thermal decomposition products       : No specific data.         Special protective actions for fire-fighters       : When fighting fires wear full turnout gear and self c	Ingestion :	No known significant effects or critical hazards.				
Inhalation       : Adverse symptoms may include the following: respiratory tract irritation, coughing.         Skin contact       : Adverse symptoms may include the following: irritation, redness.         Ingestion       : No known significant effects or critical hazards.         Indication of immediate medical attention and special treatment needed. If necessary         Notes to physician       : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ing or inhaled.         Specific treatments       : No specific treatment.         Protection of first-aiders       : No action shall be taken involving any personal risk or without suitable training.         See toxicological information (Section 11)       Section 5. Fire-fighting measures         Extinguishing media       : Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or water spray (log) to extinguish fire.         Unsuitable extinguishing media       : None known.         Special protective actions for fire-fighters       : Note known.         Special protective actions for fire-fighters       : Note difficing fires wear full turnout gear and self contained breathing apparatus. Water may cause splatering. Material floats on water.         Special protective equipment and emergency procedures       Section 6. Accidental release measures         Parsonal precautions. protective equipment and emergency procedures       : Not applicable.         For non-emergency personne	Over-exposure signs/symptoms					
Skin contact       : Adverse symptoms may include the following: irritation, redness.         Ingestion       : No known significant effects or critical hazards.         Indication of immediate medical attention and special treatment needed. if necessary         Notes to physician       : Treat symptoms may include the following: irritation, redness.         Specific treatments       : No specific treatment.         Protection of first-aiders       : No action shall be taken involving any personal risk or without suitable training.         See toxicological information (Section 1)       Section 5. Fire-fighting measures         Extinguishing media       : Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or water spray (tog) to extinguish fire.         Unsuitable extinguishing media       : Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or water spray (tog) to extinguish fire.         Unsuitable extinguishing media       : Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or water spray (tog) to extinguish fire.         Specific fureards arising from the chemical       : Toxic furnes gases or vapors may evolve on burning.         tazardous thermal decomposition products       : No specific data.         Special protective actions for fire-fighters       : When fighting fires wear full turnout gear and self contained breathing apparatus. Water may cause splattering. Material floats on water.         Spection 6. Acccident	Eye contact :	Adverse symptoms may include the following: pain or irritation, watering, redness.				
Ingestion       : No known significant effects or critical hazards.         Indication of immediate medical attention and special treatment needed, if necessary         Notes to physician       : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been in or inhaled.         Specific treatments       : No specific treatment.         Protection of first-aiders       : No action shall be taken involving any personal risk or without suitable training.         See toxicological information (Section 11)       Section 5. Fire-fighting measures         Extinguishing media       : Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or water spray (fog) to extinguish fire.         Unsuitable extinguishing media       : No specific data.         Special protective actions for fire-fighters       : When fighting fires wear full turnout gear and self contained breathing apparatus. Water may cause splattering. Material floats on water.         Special protective equipment for fire-fighters       : Not applicable.         Parsonal precautions, protective equipment and emergency procedures       Section 6. Accidental release measures         Parsonal precautions, protective equipment and emergency procedures       : Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide adv equipment.         Methods and materials for containment and cleaning up       : Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry che abso						
Indication of immediate medical attention and special treatment needed. If necessary         Notes to physician       : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ing or inhaled.         Specific treatments       : No specific treatment.         Protection of first-aiders       : No action shall be taken involving any personal risk or without suitable training.         See toxicological information (Section 11)       Section 5. Fire-fighting measures         Extinguishing media       : Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or water spray (fog) to extinguish fire.         Unsuitable extinguishing media       : Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or water spray (fog) to extinguish fire.         Specific nazards arising from the chemical       : Toxic fumes gases or vapors may evolve on burning.         Hazardous thermal decomposition products       : No specific data.         Special protective actions for fire-fighters       : When fighting fires wear full turnout gear and self contained breathing apparatus. Water may cause splatering. Material floats on water.         Special protective equipment and emergency procedures       : Not applicable.         For non-emergency personnel       : Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide ade vertilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal product persorbort, large splils may require pump or va						
Notes to physician       : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been incominabed.         Specific treatments       : No specific treatment.         Protection of first-aiders       : No action shall be taken involving any personal risk or without suitable training.         See toxicological information (Section 11)       Section 5. Fire-fighting measures         Extinguishing media       : Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or water spray (fog) to extinguish fire.         Unsuitable extinguishing media       : None known.         Special protective actions for fire-fighters       : No specific data.         Special protective equipment for fire-fighters       : When fighting fires wear full turnout gear and self contained breathing apparatus. Water may cause splattering. Material floats on water.         Special protective equipment for fire-fighters       : Not applicable.         Corran emergency personnel       : Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide ade wentilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective actions in and elearing up         Spill       : Contain with dikes or absorbent to prevent migration to severs/streams. Take up small spill with dry che absorbent; large spills may require pump or vacuum prior to absorbent. May require excavation of sever contaminated soil.         Spill       : Contain with dikes or absorbent to prevent migration to severs/s	-					
or inhaled.         Specific treatments         Protection of first-aiders         is No specific treatment.         Protection of first-aiders         is No action shall be taken involving any personal risk or without suitable training.         See toxicological information (Section 11)         Section 5. Fire-fighting measures         Extinguishing media         Suitable extinguishing media         Is No specific hazards arising from the chemical         Is No specific data.         Special protective actions for fire-fighters         Special protective actions for fire-fighters         Special protective equipment for fire-fighters         Special protective equipment and emergency procedures         For non-emergency personnel         * Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide ade ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective advision is much advision water.         Special protective sequipment and emergency procedures         For non-emergency personnel       * Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide ade ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protection apropriate personal protecontainment and cleaning up	Indication of immediate medical atten	tion and special treatment needed, if necessary				
Protection of first-aiders       : No action shall be taken involving any personal risk or without suitable training.         See toxicological information (Section 11)       Section 5. Fire-fighting measures         Extinguishing media       : Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or water spray (fog) to extinguish fire.         Unsuitable extinguishing media       : None known.         Specific hazards arising from the chemical       : Toxic fumes gases or vapors may evolve on burning.         Hazardous thermal decomposition products       : No specific data.         Special protective actions for fire-fighters       : When fighting fires wear full turnout gear and self contained breathing apparatus. Water may cause splattering. Material floats on water.         Special protective equipment for fire-fighters       : Not applicable.         Personal precautions. protective equipment and emergency procedures         For non-emergency personnel       : Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide ade ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective actions for containment and cleaning up         Spill       : Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry che absorbent, large spills may require pump or vacuum prior to absorbent. May require excavation of sever containminated soil.         Spill       : Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small						
See toxicological information (Section 11)         Section 5. Fire-fighting measures         Extinguishing media         Suitable extinguishing media         Unsuitable extinguishing media         Unsuitable extinguishing media         Specific hazards arising from the chemical         Toxic fumes gases or vapors may evolve on burning.         Hazardous thermal decomposition products         Special protective actions for fire-fighters         Special protective equipment for fire-fighters         Special protective equipment for fire-fighters         Special protective equipment for fire-fighters         Extinct         Special protective equipment and emergency procedures         For non-emergency personnel         Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide ade ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective actions in appropriate personal protective respirator when ventilation is inadequate. Put on appropriate personal protective appropriate respirator when ventilation is inadequate. Put on appropriate personal protective respirator when ventilation is inadequate. Section 1. May require excavation of sever contaminated soil.         Spill       Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry che absorbent; large spills may require pump or vacuum prior to absorbent. May require excavation of sever contaminnated soil.         Spill       <	•					
Extinguishing media       : Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or water spray (fog) to extinguish fire.         Unsuitable extinguishing media       : Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or water spray (fog) to extinguish fire.         Specific hazards arising from the chemical       : Toxic fumes gases or vapors may evolve on burning.         Hazardous thermal decomposition products       : No specific data.         Special protective actions for fire-fighters       : When fighting fires wear full turnout gear and self contained breathing apparatus. Water may cause splattering. Material floats on water.         Special protective equipment for fire-fighters       : Not applicable.         Extinduishing media       : Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide add ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal procedures         For non-emergency personnel       : Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide add ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.         Methods and materials for containment and cleaning up       : Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry che absorbent. Harg spills may require pump or vacuum prior to absorbent. May require excavation of sever contaminated soil.         Spill       : Contain with dikes or absorbent to prevent migration t	Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.				
Extinguishing media       : Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or water spray (fog) to extinguish fire.         Unsuitable extinguishing media       : None known.         Specific hazards arising from the chemical       : Toxic fumes gases or vapors may evolve on burning.         Hazardous thermal decomposition products       : No specific data.         Special protective actions for fire-fighters       : When fighting fires wear full turnout gear and self contained breathing apparatus. Water may cause splattering. Material floats on water.         Special protective equipment for fire-fighters       : Not applicable.         Section 6. Accidental release measures         Personal precautions, protective equipment and emergency procedures         For non-emergency personnel       : Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide ade vertiliation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.         Methods and materials for containment and cleaning up         Spill       : Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry che absorbent; large spills may require pump or vacuum prior to absorbent. May require excavation of sever contaminated soil.         Spill       : Contain with dikes or absorbent to prevent migration to severs/streams. Take up small spill with dry che absorbent; large spills may require pump or vacuum prior to absorbent. May require excavation of sever contaminated soil.	See toxicological information (Section	n 11)				
Suitable extinguishing media       : Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or water spray (fog) to extinguish fire.         Unsuitable extinguishing media       : None known.         Specific hazards arising from the chemical       : Toxic fumes gases or vapors may evolve on burning.         Hazardous thermal decomposition products       : No specific data.         Special protective actions for fire-fighters       : When fighting fires wear full turnout gear and self contained breathing apparatus. Water may cause splattering. Material floats on water.         Special protective equipment for fire-fighters       : Not applicable.         Personal precautions, protective equipment and emergency procedures       : Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide ade ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.         Methods and materials for containment and cleaning up       : Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry che absorbent. Harge spills may require pump or vacuum prior to absorbent. May require excavation of sever contaminated soil.         Speil       : Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry che absorbent. Harge spills may require pump or vacuum prior to absorbent. May require excavation of sever contaminated soil.		Section 5. Fire-fighting measures				
Suitable extinguishing media       : Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or water spray (fog) to extinguish fire.         Unsuitable extinguishing media       : None known.         Specific hazards arising from the chemical       : Toxic fumes gases or vapors may evolve on burning.         Hazardous thermal decomposition products       : No specific data.         Special protective actions for fire-fighters       : When fighting fires wear full turnout gear and self contained breathing apparatus. Water may cause splattering. Material floats on water.         Special protective equipment for fire-fighters       : Not applicable.         Personal precautions, protective equipment and emergency procedures       : Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide ade ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.         Methods and materials for containment and cleaning up       : Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry che absorbent. Harge spills may require pump or vacuum prior to absorbent. May require excavation of sever contaminated soil.         Speil       : Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry che absorbent. Harge spills may require pump or vacuum prior to absorbent. May require excavation of sever contaminated soil.	Extinguishing media					
Specific hazards arising from the chemical       : Toxic fumes gases or vapors may evolve on burning.         Hazardous thermal decomposition products       : No specific data.         Special protective actions for fire-fighters       : When fighting fires wear full turnout gear and self contained breathing apparatus. Water may cause splattering. Material floats on water.         Special protective equipment for fire-fighters       : Not applicable.         Section 6. Accidental release measures         Personal precautions, protective equipment and emergency procedures         For non-emergency personnel       : Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide ade ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.         Methods and materials for containment and cleaning up       : Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry che absorbent; large spills may require pump or vacuum prior to absorbent. May require excavation of sever contaminated soil.         Spill       : Contain with dikes or absorbent to prevent migration to absorbent. May require excavation of sever contaminated soil.	Suitable extinguishing media	: Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or water spray (fog) to extinguish fire.				
Hazardous thermal decomposition products       : No specific data.         Special protective actions for fire-fighters       : When fighting fires wear full turnout gear and self contained breathing apparatus. Water may cause splattering. Material floats on water.         Special protective equipment for fire-fighters       : No tapplicable.         Section 6. Accidental release measures         Personal precautions. protective equipment and emergency procedures         For non-emergency personnel       : Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide ade ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.         Methods and materials for containment and cleaning up       : Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry che absorbent; large spills may require pump or vacuum prior to absorbent. May require excavation of sever contaminated soil.         Section 7. Handling and storage	<b>ë</b>					
Special protective actions for fire-fighters       : When fighting fires wear full turnout gear and self contained breathing apparatus. Water may cause splattering. Material floats on water.         Special protective equipment for fire-fighters       : Not applicable.         Section 6. Accidental release measures         Personal precautions, protective equipment and emergency procedures         For non-emergency personnel       : Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide ade ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.         Methods and materials for containment and cleaning up       : Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry che absorbent; large spills may require pump or vacuum prior to absorbent. May require excavation of sever contaminated soil.         Special protective actions for 7. Handling and storage	Specific hazards arising from the chem	ical : Toxic fumes gases or vapors may evolve on burning.				
Special protective equipment for fire-fighters       : Not applicable.         Special protective equipment for fire-fighters       : Not applicable.         Section 6. Accidental release measures         Personal precautions, protective equipment and emergency procedures         For non-emergency personnel       : Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide ade ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protection equipment.         Methods and materials for containment and cleaning up       : Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry che absorbent; large spills may require pump or vacuum prior to absorbent. May require excavation of sever contaminated soil.         Section 7. Handling and storage	Hazardous thermal decomposition pro	ducts : No specific data.				
Special protective equipment for fire-fighters       : Not applicable.         Section 6. Accidental release measures         Personal precautions, protective equipment and emergency procedures         For non-emergency personnel       : Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide ade ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protected personal personal personal personal personal personal personal personal personal protected personal protected personal personal personal personal personal personal personal protected personal	Special protective actions for fire-fighte	<ul> <li>When fighting fires wear full turnout gear and self contained breathing apparatus. Water may cause splattering. Material floats on water</li> </ul>				
Personal precautions. protective equipment and emergency procedures         For non-emergency personnel       : Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide ade ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protected personnel from entering. Avoid breathing vapor or mist. Provide ade ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protected personnel from entering. Avoid breathing vapor or mist. Provide ade ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protected personnel from entering. Spill         Spill       : Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry che absorbent; large spills may require pump or vacuum prior to absorbent. May require excavation of sever contaminated soil.         Section 7. Handling and storage	Special protective equipment for fire-figh					
For non-emergency personnel       : Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide ade ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protected personnel from entering. Avoid breathing vapor or mist. Provide ade ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protected personnel from entering. Avoid breathing vapor or mist. Provide ade ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protected personnel from entering. Avoid breathing vapor or mist. Provide ade ventilation.         Methods and materials for containment and cleaning up       : Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry che absorbent; large spills may require pump or vacuum prior to absorbent. May require excavation of severe contaminated soil.         Section 7. Handling and storage		Section 6. Accidental release measures				
wentilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal prote equipment.         Methods and materials for containment and cleaning up         Spill       : Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry che absorbent; large spills may require pump or vacuum prior to absorbent. May require excavation of severa contaminated soil.         Section 7. Handling and storage	Personal precautions, protective equip	ment and emergency procedures				
Methods and materials for containment and cleaning up         Spill       : Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry che absorbent; large spills may require pump or vacuum prior to absorbent. May require excavation of severe contaminated soil.         Section 7. Handling and storage	For non-emergency personnel :	Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.				
Spill       : Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry che absorbent; large spills may require pump or vacuum prior to absorbent. May require excavation of severe contaminated soil.         Section 7. Handling and storage	Methods and materials for containmer					
		<ul> <li>Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry chemical absorbent; large spills may require pump or vacuum prior to absorbent. May require excavation of severely</li> </ul>				
Precautions for safe handling		Section 7. Handling and storage				
recautions for safe nandling						
	recautions for safe handling					

	Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate.
Advice on general occupational	<ul> <li>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and</li></ul>
hygiene	processed. Workers should wash hands and face before eating, drinking and smoking.

#### Legacy Hydrostatic Multi-Vis ISO 46

Conditions for safe storage, including any incompatibilities

: Handling temperatures should not exceed 175°F (80°C). Do not store above the following temperature: 113°C (235.4°F). Odorous and toxic fumes may form from the decomposition of this product if stored at excessive temperatures for extended periods of time. Store in accordance with local regulations. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Use appropriate containment to avoid environmental contamination.

#### Section 8. Exposure controls/personal protection

Control parameters		
Occupational exposure limits		
None.		
Appropriate engineering controls	:	Use only with adequate ventilation.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Recommended: Splash goggles and a face shield, where splash hazard exists.
Skin protection		
Hand protection	:	4 - 8 hours (breakthrough time): Nitrile gloves.
Body protection	:	Recommended: Long sleeved coveralls.
Other skin protection	:	Recommended: Impervious boots.
Respiratory protection	:	If ventilation is inadequate, use a NIOSH-certified respirator with an organic vapor cartridge and P95 particulate filter.

#### Section 9. Physical and chemical properties

Appearance		Relative density	: 0.869 to 0.87
Physical state	: Liquid.	Evaporation rate	: <1 (Ether. = 1)
Color	: Amber.	Solubility	: Insoluble in the following materials: cold water and hot water.
Odor	: Mild.	Solubility in water	: Insoluble
Odor threshold	: Not available.	Partition coefficient: n-	: Not available.
рН	: Not available.	octanol/water	
Melting point	: Not available.	Auto-ignition temperature	: Not available.
Boiling point	: Not available.	Decomposition temperature	: Not available.
Flash point	: Closed cup: >208°C (>406.4°F)	SADT	: Not available.
Flammability	: Not available.	Viscosity	: Not available.
Lower and upper	: Not available.	Vapor pressure	: <0.13 kPa (<1 mm Hg) (68°F)
explosive (flammable) limits		Vapor density	: Not available.

#### Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	The product is stable.
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	No specific data.
Incompatible materials	:	Reactive or incompatible with the following materials: oxidizing materials.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Information on toxicological effect								
Acute toxicity								
There is no data available.								
Irritation/Corrosion								
Skin	: There is no data available.							
Eyes	: There is no data available.							
Respiratory	: There is no data available.							
<u>Sensitization</u>								
Skin	: There is no data available.							
Respiratory	: There is no data available.							
Mutagenicity								
There is no data available.								
<b>Carcinogenicity</b>								
There is no data available.								
Reproductive toxicity								
There is no data available.								
<u>Teratogenicity</u>								
There is no data available.	There is no data available.							
Specific target organ toxicity (sin	Specific target organ toxicity (single exposure)							
There is no data available.	There is no data available.							
Specific target organ toxicity (repeated exposure)								
There is no data available.	There is no data available.							
Aspiration hazard								
There is no data available.								
Information on the likely routes on exposure	: Dermal contact. Eye contact. Inhalation. Ingestion.							
	Section 12. Ecological information							
Toxicity								
There is no data available.								
Persistence and degradability								
There is no data available.								
Bioaccumulative potential								
There is no data available.								
Mobility in soil								

#### Mobility in soil

Soil/water partition coefficient (Koc)

: There is no data available.

#### Other adverse effects : No known significant effects or critical hazards.

#### Section 13. Disposal considerations

**Disposal methods** 

: Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

	S	ection 14.	Transport inform	ation	
DOT IDENTIFICATION NUMBER	Not applicable.	DOT pro	per shipping name	Not applicable.	
DOT Hazard Class(es) Not ap	plicable.	PG No	t applicable.	DOT EMER. RESPONSE GU	IDE NO. Not applicable
	Se	ection 15.	Regulatory inform	nation	
U.S. Federal regulations				components are listed or exempt ents are listed or exempted.	ed.
lean Air Act Section 602 Class I lean Air Act Section 602 Class II lean Air Act Section 112(b) Haza	Substances : N	lot listed lot listed ( <b>HAPs)</b>		als (Precursor Chemicals) cals (Essential Chemicals)	: Not listed : Not listed
SARA 302/304 Composition/information on	ingredients				
No products were found.					
SARA 304 RQ <u>SARA 311/312</u>	: Not applicabl	e.			
Hazard classifications	: Not applicabl	e.			
Composition/information on	ingredients				
No products were found.					
SARA 313	: This product	(does/not) cor	ntain toxic chemicals su	ubject to the reporting requireme	nts of SARA Section 31

 Product name
 CAS number
 %

 Zinc compounds
 Mixture
 0.09 as Zinc

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations	
Massachusetts	: The following components are listed: Distillates (petroleum), hydrotreated light paraffinic
New York	: None of the components are listed.
New Jersey	: The following components are listed: Distillates (petroleum), hydrotreated heavy paraffinic; Distillates (petroleum), hydrotreated light paraffinic
Pennsylvania	: None of the components are listed.
California Prop. 65	: No products were found.

#### Section 14. Transport information

#### Section 16. Other information

Revision date	: 08/25/2017	Supersedes	:	NA
Revised Section(s)	: NA	Prepared by	:	KMK Regulatory Services Inc.

Notice to reader THE INFORMATION CONTAINED IN THIS SDS RELATES ONLY TO THE SPECIFIC MATERIAL IDENTIFIED. IT DOES NOT COVER USE OF THAT MATERIAL IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY PARTICULAR PROCESS. IN COMPLIANCE WITH 29 C.F.R. 1910.1200(g), AGCO HAS PREPARED THIS SDS IN SEGMENTS, WITH THE INTENT THAT THOSE SEGMENTS BE READ TOGETHER AS A WHOLE WITHOUT TEXTUAL OMISSIONS OR ALTERATIONS. AGCO BELIEVES THE INFORMATION CONTAINED HEREIN TO BE ACCURATE, BUT MAKES NO REPRESENTATION, GUARANTE, COMPRANTY, EXPRESS OR IMPLIED, ABOUT THE ACCURACY, RELIABILITY, OR COMPLETENESS OF THE INFORMATION OR ABOUT THE FITNESS OF CONTENTS HEREIN FOR EITHER GENERAL OR PARTICULAR PURPOSES. PERSONS REVIEWING THIS SDS SHOULD MAKE THEIR OWN DETERMINATION AS TO THE MATERIAL'S SUITABILITY AND COMPLETENESS FOR USE IN THEIR PARTICULAR APPLICATIONS.