Contact Sheet



Europe

Austria Tel: + 43 4212 6400 Sparex Austria Muraunberger Str Hurzendorf 9300



Italy

Tel: + 43 4212 6400 Sparex Austria Muraunberger Str Hurzendorf 9300



Portugal

Tel: +351 261 311107 Sparex Portugal, Importação e Comércio de Peças,Lda. Lugar da Espera 2565-716 Runa.



Belgium / Lux

Tel: + 32 58235140 Sparex Belgium Bvba Toevluchtweg 9 B-8620 Nieuwpoort



Tel: + 49 4282 93100 Sparex Germany Hansestrasse 03 Sittensen 27419



Netherlands

Tel: + 31 235 841 020 Sparex Holland BV Luzernestraat 19N 2153 GM Nieuw-Vennep



Tel: + 349 451 33524 Sparex Agrirepuestos, S.L. C/Jose Maria Iparraguirre No.15 B 01006 Vitoria-Gasteiz (Alava)



Canada Tel: + 905 786 277 Sparex Canada Highway No. 2 On Newcastle L1b 119





Tel: + 61 298 205 777 Sparex Australia Pty Ltd 81-83 Strzelecki Avenue, Sunshine West, VIC 3020



Tel: + 1 330 562 8150 Sparex US PO Box 510 Aurora, OH 44202



New Zealand

Tel: + 64 9634 4121 4 Princes Street Onehunga, Auckland 1345





Poland Tel: +48 61 816 19 37 61-168 ul. Rataje 164, Poznań



Africa

South Africa Cape - Tel: +27 00 21 887 3575 . KZN - Tel: + 27 31 573 1240

Cape branch 35 George Blake St, Plankenburg Stellenbosch 7600

KZN branch 59 Marseilles crescent Briardene Durban 4001

Sparex Export Markets

Export

Tel: +44 1392 441314 Sparex Limited Exeter Airport Devon Exeter EX5 2LJ

www.sparex.com



According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of	of the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	B641
Container size	10ml, 25ml, 50ml and 250ml bottles
1.2. Relevant identified use	s of the substance or mixture and uses advised against
Identified uses	Adhesive.
1.3. Details of the supplier of	of the safety data sheet
Supplier	
	Bondloc UK Ltd
	Unit 2 Bewdley Business Park
	Long Bank
	Bewdley
	Worcestershire
	DY12 2TZ
	+44 (0)1299 269269
	+44 (0)1299 269210
	sales@bondloc.co.uk
1.4. Emergency telephone number	
Emergency telephone	+44 (0)1299 269269
SECTION 2: Hazards identi	ification
2.1. Classification of the sul	bstance or mixture
Classification (EC 1272/200)8)
Physical hazards	Not Classified
Health hazards	Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 STOT SE 3 - H335 STOT SE 3 - H335 STOT SE 3 - H335
Environmental hazards	Not Classified
2.2. Label elements	
Pictogram	
Signal word	Warning
Hazard statements	H315 Causes skin irritation.
	H317 May cause an allergic skin reaction.
	H319 Causes serious eye irritation.
	H235 May cause respiratory initiation

H335 May cause respiratory irritation.

Precautionary statements	P261 Avoid breathing vapour/ spray.
	P264 Wash contaminated skin thoroughly after handling.
	P271 Use only outdoors or in a well-ventilated area.
	P272 Contaminated work clothing should not be allowed out of the workplace.
	P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
	P302+P352 IF ON SKIN: Wash with plenty of water.
	P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P312 Call a POISON CENTER/ doctor if you feel unwell.
	P321 Specific treatment (see medical advice on this label).
	P332+P313 If skin irritation occurs: Get medical advice/ attention.
	P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.
	P337+P313 If eye irritation persists: Get medical advice/ attention.
	P362+P364 Take off contaminated clothing and wash it before reuse.
	P403+P233 Store in a well-ventilated place. Keep container tightly closed.
	P405 Store locked up.
	P501 Dispose of contents/ container in accordance with national regulations.
	1 301 Dispose of contents/ container in accordance with hational regulations.
Contains	Ethoxylated Bisphenol A Dimethacrylate, 2-hydroxypropyl methacrylate, α,α-dimethylbenzyl
	hydroperoxide, maleic acid, 1-Acetyl-2-phenylhydrazine

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Ethoxylated Bisphenol A Dimethacrylate

CAS number: 41637-38-1

Classification

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 STOT SE 3 - H335

2-hydroxypropyl methacrylate

CAS number: 923-26-2

EC number: 213-090-3

10-30%

30-60%

Classification

Eye Irrit. 2 - H319 Skin Sens. 1 - H317

α,α-dimethylbenzyl hydrope	eroxide 1-5%
CAS number: 80-15-9	EC number: 201-254-7
Classification Org. Perox. E - H242 Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 3 - H331 Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335 STOT RE 2 - H373 Aquatic Chronic 2 - H411	
maleic acid	<1%
CAS number: 110-16-7	EC number: 203-742-5
Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 STOT SE 3 - H335	
1-Acetyl-2-phenylhydrazine CAS number: 114-83-0	<1%
Classification Acute Tox. 3 - H301 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 STOT SE 3 - H335	
The full text for all hazard sta	atements is displayed in Section 16.
SECTION 4: First aid measu	
4.1. Description of first aid m	
Inhalation	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
Ingestion	Rinse mouth thoroughly with water. Give plenty of water to drink. Do not induce vomiting.
Skin contact	Wash skin thoroughly with soap and water. Get medical attention.
Eye contact	Rinse immediately with plenty of water. Get medical attention if symptoms are severe or persist. Continue to rinse for at least 10 minutes.
4.2. Most important sympton	ns and effects, both acute and delayed
Skin contact	Redness.
Evo contact	Conjunctivitia irritation tooring

Eye contact Conjunctivitis, irritation, tearing.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	Extinguish with the following media: Carbon dioxide (CO2). Foam. Alcohol-resistant foam. Water spray.
Unsuitable extinguishing media	None known.
5.2. Special hazards arising fro	om the substance or mixture
Hazardous combustion products	Oxides of carbon. Oxides of nitrogen. Sulphur.
5.3. Advice for firefighters	
Protective actions during firefighting	Containers close to fire should be removed or cooled with water.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
SECTION 6: Accidental release	e measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	Avoid contact with skin and eyes. Provide adequate ventilation.
6.2. Environmental precaution	S
Environmental precautions	Avoid discharge into drains or watercourses or onto the ground.
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	Absorb spillage with sand or other inert absorbent. Collect and place in suitable waste disposal containers and seal securely.
6.4. Reference to other section	ns
Reference to other sections	For personal protection, see Section 8. For waste disposal, see Section 13.
SECTION 7: Handling and sto	rage
7.1. Precautions for safe hand	ling
Usage precautions	Use only in well-ventilated areas. Do not eat, drink or smoke when using this product. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.
7.2. Conditions for safe storag	e, including any incompatibilities
Storage precautions	Store at temperatures between 8°C and 21°C. Store in tightly-closed, original container in a well-ventilated place.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure Controls/personal protection	
8.1. Control parameters	
8.2. Exposure controls	
Eye/face protection	Wear eye protection.

Hand protection	To protect hands from chemicals, gloves should comply with European Standard EN374.
Other skin and body protection	Wear apron or protective clothing in case of contact.
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Yellow.
Odour	Sweetish.
Odour threshold	Not available.
bH	pH (concentrated solution): 3-5
Aelting point	Not available.
nitial boiling point and range	Not available.
lash point	> 100°C
vaporation rate	Not determined.
pper/lower flammability or xplosive limits	Not applicable.
apour pressure	-0.1 mm Hg @ 20°C
apour density	Not available.
elative density	~ 1.08
olubility(ies)	Slightly soluble in water.
artition coefficient	Not available.
to-ignition temperature	Not available.
composition Temperature	Not available.
scosity	400-800 cps @ °C
xplosive properties	Not available.
xidising properties	Not available.
.2. Other information	
ther information	None.
ECTION 10: Stability and rea	activity
0.1. Reactivity	
eactivity	Strong acids. Strong oxidising agents.
0.2. Chemical stability	
tability	Stable at normal ambient temperatures and when used as recommende
0.3. Possibility of hazardous	reactions
Possibility of hazardous eactions	Under normal conditions of storage and use, no hazardous reactions will

10.4. Conditions to avoid

Conditions to avoid There are no known conditions that are likely to result in a hazardous situation.

10.5. Incompatible materials

Materials to avoid None known.

10.6. Hazardous decomposition products

Hazardous decomposition In case of fire Other toxic gases and vapours products

SECTION 11: Toxicological information

SECTION 11: Loxicological information	
11.1. Information on toxicological effects	
<u>Acute toxicity - oral</u> ATE oral (mg/kg)	12,591.96791197
Acute toxicity - dermal	
ATE dermal (mg/kg)	110,000.0
Acute toxicity - inhalation	
ATE inhalation (vapours mg/l)	300.0
Inhalation	Irritating to respiratory system.
Ingestion	May cause irritation.
Skin contact	Irritating.
Eye contact	Risk of serious damage to eyes.
SECTION 12: Ecological Information	
Ecotoxicity	There are no data on the ecotoxicity of this product.
12.1. Toxicity	
Ecotoxicity	
Toxicity	Do not empty into drains/surface water/ground water
12.2. Persistence and degrada	bility
Persistence and degradability	There are no data on the degradability of this product.
12.3. Bioaccumulative potentia	
Bioaccumulative potential	No data available on bioaccumulation.
Partition coefficient	Not available.
12.4. Mobility in soil	
Mobility	Not considered mobile.
12.5. Results of PBT and vPvE	3 assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6. Other adverse effects	
Other adverse effects	Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods	
General information	Dispose of waste product or used containers in accordance with local regulations
Disposal methods	Dispose of waste product or used containers in accordance with local regulations
Waste class	08 04 09 waste adhesives and sealants containing organic solvents or other dangerous substances.

SECTION 14: Transport information

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

General

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the council of 18 December
	2006 concerning the Registration, evaluation, Authorisation and Restriction of Chemicals
	(REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and
	repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94
	as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC,
	93/105/EC, including amendments. Regulation (EC) No 1272/2008 of the European
	Parliament and of the Council of 16 December 2008 on classification, labeling and packaging
	of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC,
	and amending Regulation (EC) No 1907/2006 with amendments.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Revision date	27/10/2014
SDS number	4632
Hazard statements in full	 H242 Heating may cause a fire. H301 Toxic if swallowed. H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H335 May cause respiratory irritation. H373 May cause damage to organs through prolonged or repeated exposure. H411 Toxic to aquatic life with long lasting effects.

PRECAUTIONS: This product and the auxiliary materials normally combined with it are capable of producing adverse health effects ranging from minor skin irritation to serious systemic effects. None of these materials should be used, stored, or transported until the handling precautions and recommendations as stated in the Material Safety Data Sheets (MSDS) for this and all other products being used are understood by all persons who will work with the product.

WARRANTY: All products purchased from or supplied by Bondloc are subject to terms and conditions set out in the contract. Bondloc warrants only that its product will meet those specifications designated as such herein or in other publications. All other information supplied by Bondloc is consider accurate but are furnished upon the express condition the customer shall make its own assessment to determine the product's suitability for a particular purpose. Bondloc makes no other warranty, either express or implied, including those regarding such other information, the data upon which the same is based, or the results to be obtained from the use thereof; that any product shall be merchantable or fit for any particular purpose; or that the use of such other information or product will not infringe any patent.